INDEX TO VOLUME 47

The asterisk (*) preceding the page number indicates an original article in the Archives. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Book Reviews, Obituaries and Society Transactions are indexed under these headings in their alphabetical order under the letters B, O and S, respectively.

Abdomen, lymphogranuloma venereum of unusual location and extent; report of case, *694
Abnormalities and Deformities: See under names of diseases, organs and regions, as Atrophy; Ectodermal Defect; Hair, abnormalities; Nails, abnormalities; Pigmentation; etc.
Abramowitz, E. W.: Doubtful value of sodium thiosulfate in therapy of arsenical dermatitis, *175
Lupus erythematosus disseminatus subacutus, 601
Pemphigus vulgaris (chronic benign type) of mouth, throat and vaginal orifice, 273
Pemphigus vulgaris (chronic benign type) of nose, lip, mouth and throat, 272
Porokeratosis Mibelli; report of 3 cases in 1 family; histologic studies, *1
Abscess: See under names of organs and regions
Acanthosis nigricans, *97
Acariasis: See Demodex
Acetarsone, Therapy: See Pemphigus
Acetylcholine: See Choline and Choline Derivatives
Acid, Nicotinic: See Nicotinic Acid
Salicylic: See Salicyl Compounds
Acne conglobata; pyoderma; hidradenitis, 725
effects of pyridoxine (vitamin B_6) on persistent adolescent acne, 257
rosacea improved by sulfanilamide, 609
sensitivity to tuberculin in acne and in other nontuberculous diseases of skin, *799
varioliformis, 722
varioliformis; lichen nitidus, 722
vulgaris in infants, 858
vulgaris; pyoderma faciale, 148
Acrodermatitis chronica atrophicans, 146
chronica atrophicans, unilateral; avitaminosis, 261
Acrodynia, 720
Acrosclerosis: See Scleroderma
Actinodermatitis: See under Light
Adenoma sebaceum, 422
sebaceum; hamartial nature of tuberous sclerosis complex and its bearing on tumor problem, 113
Adolescence, osteodystrophia fibrosa combined with precocious puberty and exophthalmic goiter, 853
Adrenal Preparations, commercial endocrine preparations, 411
panniculitis and sclerodermatous changes secondary to long-continued administration of epinephrine for asthma, 132
Aldehydes, urticaria due to aliphatic aldehydes; clinical and experimental study, 701
Alderson, H. E.: Lupus erythematosus, erythema induratum and sclerodactylia, 141
Lupus erythematosus, tuberculosis and chrysiasis, 140
Allergy: See Anaphylaxis and Allergy
Allington, H. V.: Raynaud's disease; case for diagnosis, 146
Aloe Vera in oriental dermatology, *250
jelly leeks, *249
Alopecia: See also Hair, removal
cicatrisata or favus, 280
congenital defect of scalp, *405, 869
keratosis follicularis with unusual involvement of scalp; report of case, *398
total, associated with ocular disorders, 853
Amaurosis: See Blindness
Amblyopia: See Blindness
Anaphylaxis and Allergy: See also Asthma; Food, allergy; Milk, allergy; Tuberculosis; etc.
aspects of allergy associated with neurosyphilis, 260
concept of atopy in light of recent investigations, 701
prepared patch for cutaneous tests, *852
quantitative study of passive anaphylaxis in guinea pig, 855
Anderson, N. P.: Callosities, multiple, congenital, 288
Epidermolysis bullosa (dystrophic form), 136
Melanosis of Riehl, 609
Melanotic nevus, 138
Multiple benign superficial epitheliomatosis, 136
Trichophyton purpureum infection of nails, 129
Vitiligo; case for diagnosis, 290
Wooly-haired nevus of scalp, 286
Androgens, commercial endocrine preparations, 411
Anergy: See under Tuberculosis
Angina, Vincent's: See Fusospirochetosis
Angioid Streaks: See Retina
Angiokeratoma, case for diagnosis, 122
Anhidrosis: See Sweat Glands
Animals, comparative immunologic studies with salivary and epithelial extracts of dog, cat and rabbit, 854
Ankle: See also Foot
neurogenic arthropathy; result of bone graft, 421
Anthiomaline: See Lymphogranuloma Venereum
Antigens and Antibodies: See also Lipoids; and under specific antigens and reactions
antibodies and protein-reserves, 855
Antipeol: See Skin, diseases
Anus, Pruritus: See Pruritus
Aorta, syphilis; early diagnosis of syphilitic aortitis, 112
Aortic Valve, syphilitic aortic insufficiency; asymptomatic phase, 112
Aortitis, Syphilitic: See Aorta, syphilis
Aphthae: See Stomatitis
Apparatus, shock-proof roentgen ray apparatus in dermatology, *43
Argyll Robertson Pupils: See Pupils
Argyria: See Silver, toxicity
Armies: See Medicine, Military; Recruits; War
Arms: See also Extremities; etc.
epithelioma and radiodermatitis of arm, 861
Arnold, H. L., Jr.: Histiocytoma cutis; variant of xanthoma; histologic and clinical studies of 27 lesions in 23 cases, *498
Sarcoid and tuberculosis, 408
Arsenic and Arsenic Compounds: See also Arsphenamines; Tryparsamide
doubtful value of sodium thiosulfate in therapy of arsenical dermatitis, *175
mapharsen and neoarsphenamine administered by continuous intravenous drip method; toxicity for rabbits, *665
multiple benign superficial epitheliomas (probably arsenical); psoriasis; arsenical keratoses, 135
multiple benign superficial epitheliomatosis, 136
Therapy: See under Syphilis
Arsphenamines, bronchial asthma following inhalation of powdered neoarsphenamine; attempted oral hyposensitization, *675
further studies in arsphenamine hypersensitiveness in guinea pigs; investigations on chemical specificity of skin hypersensitiveness of guinea pigs to old arsphenamine, 116

Arsphenamines—Continued
further studies in arsphenamine hypersensitiveness in guinea pigs; vitamin A (carotene) in relation to sensitization of guinea pigs to old arsphenamine, 256
mapharsen and neoarsphenamine administered by continuous intravenous drip method; toxicity for rabbits, *665
Therapy: See under Syphilis
Arteries: See also Aorta; Embolism; Endarteritis; etc.
xanthoma tuberosum coincident with psoriasis, with xanthomatosis of coronary vessels, 739
Arthritis, extensive dermatitis medicamentosa (gold salts), 755
neurogenic arthropathy; result of bone graft, 421
Artificial Fever Therapy: See Dementia Paralytica
Aschoff-Klinge Nodule: See Rheumatic Fever
Asthma: See also Anaphylaxis and Allergy
bronchial, following inhalation of powdered neoarsphenamine; attempted oral hyposensitization, *675
panniculitis and sclerodermatous changes secondary to long-continued administration of epinephrine for asthma, 132
Athlete's Foot: See Ringworm
Atopy: See Anaphylaxis and Allergy
Atrophoderma: See Atrophy
Atrophy: See also Acrodermatitis chronica atrophicans; and under names of organs and regions, as Nerves; etc.
epidermolysis bullosa (dystrophic form), 136
ichthyosiform atrophy of skin in Hodgkin's disease, *778
idiopathic; case for diagnosis, 454
lupus erythematosus (discoid type); macular atrophy (primary), 759
Aurotherapy: See Lupus erythematosus
Avitaminoses: See under Vitamins
Axilla: See Sweat Glands
Ayres, S., Jr.: Leprosy (lepromatous type), 445
Lichen nitidus, 296
Lichen planus, progressing in spite of treatment, 296
Multiple benign superficial epitheliomas (probably arsenical); psoriasis; arsenical keratoses, 135
Panniculitis and sclerodermatous changes secondary to long-continued administration of epinephrine for asthma, 132
Pemphigus of mouth, 294
Sarcoid of Boeck (?), 608
Schamberg's disease; case for diagnosis, 286
Scrofuloderma; case for diagnosis, 295
Trichophyton purpureum infection of nails, 129
Vitiligo; case for diagnosis, 290

BCG: See under Tuberculosis
Bacteria: See Staphylococci; Streptococci; etc.
Leprosy: See Leprosy
Bagley, W. R.: Erythema induratum; case for diagnosis, 709
Baldness: See Alopecia
Ball, F. I.: Xerosis of skin treated with concentrated vitamin A, 284
Bancroft, I.: Malignant reticuloendothelioma, 877
Tertiary syphilis, 880
Tinea versicolor; case for diagnosis, 135
Barney, B. F.: Multiple idiopathic hemorrhagic sarcoma of Kaposi, 420
Barney, R. E.: Circumscribed myxedema (localized solid edema of extremities in association with exophthalmic goiter [O'Leary]), 425
Erythema multiforme; case for diagnosis, 424
Hairy tongue, 429
Leukaemia cutis, 422
Lupus vulgaris; squamous cell epithelioma; latent syphilis, 424
Malignant melanoma, 427
Xanthoma tuberosum multiplex, 423
Baumberger, J. P.: Histochemistry of pemphigus lesions with reference to bullous formation, *517
Bazin's Disease: See Erythema induratum
Beard: See Hair
Bechet, P. E.: Mycosis fungoides, 750
Tuberculosis cutis of nose, 279
Becker, F. T.: Erythema induratum; case for diagnosis, 709
Onycholysis; case for diagnosis, 707
Raynaud's disease, 709
Becker, S. W.: Lymphoblastoma, 462
Beerman, H.: Tuberculosis cutis or chronic pyogenic dermatitis, 432
Beetles, dermatitis venenata provoked by Coleoptera genus Paederus, 705
Benedek, T.: Favus, 272
Bereston, E. S.: Incidence of dermatoses in 20,000 army induction examinations, with note on syphilis with negative serologic reactions, *844
Bernstein, E. T.: Necrobiosis lipoidica diabeticorum, 602
Besnier-Boeck's Disease: See Sarcoidosis
Biopsies, method to enhance value in dermatologic diagnosis, *580
Biotropism: See Syphilis
Bismarsen Therapy: See Syphilis
Bismuth and Bismuth Compounds, bismuth hepatitis; survey of 121 cases, 413
bismuth stomatitis, 416
eruption due to vitamin B complex deficiency and precipitated by prolonged bismuth therapy, 862
eruptions in antisyphilitic therapy, 416
Therapy: See under names of various diseases, i. e., Syphilis; etc.
Blastomycosis, 287. See also Moniliasis
action of sulfonamide compounds on Blastomyces dermatitidis in vitro, *620
experimental, in mice, 116
Blennorrhagia: See Gonorrhea
Blindness, thiamine hydrochloride in treatment of tryparsamide amblyopia, 114
Blood: See also Leukocytes
Diseases: See Leukemia; etc.
histamine content of blood and urine in cutaneous diseases, 118
Bloom, D.: Lichen scrofulosorum; case for diagnosis, 282
Pemphigus erythematosus (Senear-Usher), 601
Porokeratosis Mibelli; report of 3 cases in 1 family; histologic studies, *1
Bluefarb, S. M.: Lupus vulgaris with pulmonary tuberculosis, 453
Body, height; syndrome characterized by primary ovarian insufficiency and decreased stature, 853
Boeck Sarcoid: See Sarcoidosis
Bones: See also under names of bones
destructive osseous lesions in early syphilis, 113
Diseases: See Osteitis; Osteomyelitis; etc.
neurogenic arthropathy, result of bone graft, 421
osseous syphilis; confusion in diagnosis; report of 2 cases of osteomyelitis of late syphilis, 254

Book Reviews:
Biology of Negro; J. H. Lewis, 156
Electrophoresis of Proteins and Chemistry of Cell Surfaces; H. A. Abramson, L. S. Moyer and M. H. Gorin, 158
Familial Nonreaginic Food-Allergy; A. F. Coca, 762
Manual of Dermatology, issued under auspices of Committee of Medicine of Division of Medical Sciences of National Research Council by D. M. Pillsbury, M. B. Sulzberger and C. S. Livingood, 157
Medical Parasitology; J. T. Culbertson, 612
Physician's Reference Book of Emergency Medical Service, 157
Synopsis of Pathology; W. A. D. Anderson, 300

Bordet-Wassermann Reaction: See Syphilis
Botvinick, I.: Doubtful value of sodium thiosulfate in therapy of arsenical dermatitis, *175
Bouillaud's Disease: See Rheumatic Fever
Bourneville-Pringle Disease: See Sclerosis, tuberous
Brain: See also Nervous System; etc.
basal cell epithelioma of scalp with possible metastases to, 869
symmetric nevi of face, tuberous sclerosis, epilepsy and fibromatous growth on scalp with abnormal electroencephalograms of members of family; report of case, *197
Syphilis: See Neurosyphilis
Brocq's Disease: See Alopecia cicatrisata
Bromide and Bromine, pyoderma faciale; acne vulgaris, 148
Brown, E. E.: Lentigines; their possible significance, *804
Brown, H.: Vitamin B_6 (pyridoxine) in dermatology, *651
Brown, M.: Lupus erythematosus disseminatus, 444
Brunsting, L. A.: Acne conglobata; pyoderma; hidradenitis, 725
Acne varioliformis, 722
Acrodynia, 720
Acrosclerosis (Sellei), 718, 719
Chronic disseminated lupus erythematosus, 721
Congenital dyskeratosis; ectodermal defect; pachyonychia congenita; pyoderma; corneal leukoma, 727
Dermatomyositis, 716, 717
Disseminated neurodermatitis with early cataract, 713
Exfoliative psoriasis, 716
Hidradenitis suppurativa of axillas; extensive pyoderma of vulva, 725
Incipient Darier's disease (?); benign pemphigus of Hailey and Hailey (?), 728
Lichen nitidus; acne varioliformis, 722
Localized scleroderma (morphea), 718
Lupus vulgaris with spontaneous epithelomatosis, 729
Mycosis fungoides, 723
Necrobiosis lipoidica diabeticorum, 722
Pemphigus vegetans, 711
Pityriasis-rosea-like eruption from gold salts; lichen-planus-like eruption from gold salts, 712
Pityriasis rubra pilaris, 727
Pyoderma, 724
Ragweed dermatitis, 714
Sarcoidosis, 729
Bubo, Climatic: See Lymphogranuloma Venereum
Bubonulus: See Lymphogranuloma Venereum
Bullosis: See Vesication
Buschke's Disease: See Scleroderma

Calcification, Raynaud's disease with sclerodactylia and calcinosis circumscripta, 145
Calcinosis: See Calcification
Callaway, J. L.: Action of sulfonamide compounds on Blastomyces dermatitidis in vitro, *620
Callosities: See Keratosis
Camphor, Therapy: See Ringworm
Cancer: See also Epithelioma; Sarcoma; and under names of organs and regions, as Colon; Lips; etc.
and syphilis; reported syphilis prevalence among 7,761 cancer patients, 414
modern treatment of skin cancer, 259
Cannon, A. B.: Dermatitis medicamentosa (phenolphthalein) or parapsoriasis, 749
Extensive roentgen ray dermatitis; epitheliomas; results of therapy, 737
Pemphigus vulgaris (cured?), 760
Carcinoma: See Cancer
Cardiovascular System: See Arteries; Heart; etc.
Caro, M. R.: Nevus; case for diagnosis, 448
Carotene: See also Vitamins, A
further studies in arsphenamine hypersensitiveness in guinea pigs; vitamin A (carotene) in relation to sensitization of guinea pigs to old arsphenamine, 256
Carpenter, C. C.: Pityriasis versicolor on face of infant, *251
Cataract and other ocular changes resulting from tryptophan deficiency, 257
disseminated neurodermatitis with early cataract, 713
Ceccolini, E. M.: Incidence of dermatoses in 20,000 army induction examinations, with note on syphilis with negative serologic reactions, *844
Cells: See Tissue
Cerebrum: See Brain
Chamberlin, W. B., Jr.: Injections of gold sodium thiosulfate plus ultraviolet irradiation; effects of concurrent intradermal or intramuscular injections of gold sodium thiosulfate and ultraviolet irradiation on experimental animals, *478
Charcot's Joints: See Tabes Dorsalis
Chargin, L.: Erythema infectiosum; report of extensive epidemic, *467
Cheilitis: See under Lips
Chemotherapy: See Neurosyphilis; Syphilis
Chen, K. K.: Aloe vera in oriental dermatology, *250
Chickenpox, pityriasis lichenoides chronica varicelliformis, 465
China and Chinese, aloe vera in oriental dermatology, *250
aloe vera (jelly leeks), *249
Chlorophyll: See Ulcers
Cholesterol: See also Lipoids
mycosis fungoides or extracellular cholesterosis, 446
Choline and Choline Derivatives, relation of B vitamins and dietary fat to lipotropic action of choline, 257
Christian-Weber's Disease: See Panniculitis
Chromatophores: See under Melanin
Chromomycosis: See Blastomycosis; Mycosis
Chrysiasis, lupus erythematosus, tuberculosis and chrysiasis, 140
Cicatrix, epitheliomatosis and devitalized scar tissue; case for diagnosis, 268
pityriasis rosea with lesions occurring in scars of lupus erythematosus, 271
roentgen therapy of hypertrophic scars and keloids, 857
Cilia, vitiligo of eyelids and canities of cilia in child, 274
Cipollaro, A. C.: Area factor in roentgen irradiation, *657
Shock-proof roentgen ray apparatus in dermatology, *43
Time factor in irradiation, *490; correction, 762
Civatte's Disease: See Poikiloderma
Clothing, contact dermatitis due to resin-finished facing in cotton underwear, 697
contact dermatitis due to resin-finished facing in cotton underwear; report of case, with consideration of cause, pathogenesis and related phenomena, *242
Codeine, cutaneous eruptions due to, *654
Cohen, D.: Acetarsone in treatment of pemphigus, *40
Juxta-articular nodes, 456
Pityriasis lichenoides chronica varicelliformis, 465
Pityriasis rubra pilaris; case for diagnosis, 463
Cohen, M.: Infection with Loa loa, *763
Cole, H. N.: Aloe vera in oriental dermatology, *250
Coleoptera: See Beetles
Colon, mycosis fungoides in patient with carcinoma of colon, 860
Combes, F. C.: Herpes recurrens of wrist, 744
Pityriasis versicolor (with unusually extensive involvement), 740
Tuberculosis of hypoderm, 761
Communicable Diseases: See Syphilis; etc.
Complement Fixation: See under Syphilis

Condyloma, trophic ulcers resembling condylomas, 266
Congress: See Societies
Constant, E. R.: Naevus pilosus, growing slowly, 591
Coproporphyrin: See Urine, porphyrin
Cormia, F. E.: Generalized erythematous papular eruption; case for diagnosis, 153
Cornbleet, T.: Lichen planus involving palms, 268
Pityriasis rubra pilaris; case for diagnosis, 463
Properties of human skin revealed by fluorescence microscopy; paraffinoma, *637
Cornea, congenital dyskeratosis; ectodermal defect; pachyonychia congenita; pyoderma; corneal leukoma, 727
Inflammation: See Keratitis
opaque cornea due to interstitial keratitis treated by keratoplasty, 871
Cornell, V. A. H.: Lichen spinulosus or lichen planopilaris, 874
Corson, E. F.: "Red moss" dermatitis; contact with sponges affecting oystermen, *574
Cosmetics, photosensitization pigmentation or melanosis of Riehl, 438
Costa, O. G.: Lymphogranuloma venereum of unusual location and extent; report of case, *694
Median canal-like dystrophy of nail; report of case, *406
Tinea versicolor involving scalp, *546
Costello, M. J.: Alopecia cicatrisata or favus, 280
Symmetric tertiary eruption of syphilis; case for diagnosis, 603
Vitiligo of eyelids and canities of cilia in child, 274
Counter, C. E.: Lupus erythematosus, 291
Creeping Eruption; larva migrans, 607
Cummer, C. L.: Adenoma sebaceum, 422
Case for diagnosis, 420
Localized scleroderma, 418
Neurogenic arthropathy, result of bone graft, 421
Tuberculosis verrucosa cutis or verruca vulgaris, 417
Curtis, G. H.: Lupus vulgaris, 122
Poikiloderma vasculare atrophicans, 417
Cylindroma, case for diagnosis, 747, 761
Cysts: See under names of organs and regions, as Skin; etc.

Dalton, J. E.: Frank W. Cregor, 409
Dandruff: See Seborrhea
Darier's Disease: See Keratosis follicularis
Davis, M. I. J.: Epidermolysis bullosa, *647
Decker, D. A.: Ichthyosis with secondary pyoderma, 441
Deficiency Diseases: See also Vitamins; etc.
effect of large amounts of single vitamins of B group on rats deficient in other vitamins, 700
Dementia Paralytica, treatment; 5 year comparative study of artificial fever therapy and therapeutic malaria in 232 cases, 701
Demodex folliculorum; its incidence in routine histologic study of skin, *793
Dentition: See Teeth
Depigmentation: See Pigmentation
Depilation: See Hair, removal
Dermatitis: See also Acrodermatitis; Eczema; Neurodermatitis; etc.
Acneform: See Acne
Actinica: See under Light
Arsphenamine: See Arsphenamines
Atopic: See Eczema; Neurodermatitis
Atrophicans: See Atrophy
Blastomycetic: See Blastomycosis
Contact: See Dermatitis venenata
Eczematous: See Eczema
exfoliativa, 599
exfoliativa, acute; development during administration of sulfathiazole, 703
exfoliativa (Ritter's disease) treated with sulfathiazole, 704
factitia, 120
factitious, with ulceronodular syphilis, 262
herpetiformis Duhring in newborn infant, 118
Dermatitis—Continued
herpetiformis, erythema multiforme or pemphigus, 874
herpetiformis; immunologic and therapeutic considerations, *680
herpetiformis in child, 275
herpetiformis, reaction due to sulfapyridine in treatment of, *695
Medicamentosa: See under Drugs; and under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Bismuth and Bismuth Compounds; Codeine; Gold and Gold Compounds; Mercury; Phenolphthalein and Phenolphthalein Derivatives; Sulfanilamide and Sulfanilamide Derivatives; etc.
Multiformis: See Dermatitis herpetiformis
Occupational: See Industrial Diseases
pigmented purpuric lichenoid dermatitis of Gougerot and Blum, 455, 589
ragweed dermatitis, 714
"red moss" dermatitis; contact with sponges affecting oystermen, *574
repens; case for diagnosis, 261
Rhus: See Rhus, poisoning
Seborrheic: See Seborrhea
Solar: See under Light
tuberculosis cutis or chronic pyogenic dermatitis, 432
vaccinica (Kaposi's varicelliform eruption), *613
Venenata: See also Codeine; Plants; Resins; Rhus, poisoning; etc.
venenata and lupus erythematosus, 878
venenata caused by manzanillo tree, *36
venenata caused by manzanillo tree; further observations and report of 60 cases, *797
venenata provoked by Coleoptera genus Paederus, 705
venenata; unusual case of match dermatitis, *102
Dermatologic societies, directory of, 883
Dermatology, shock-proof roentgen ray apparatus in, *43
Dermatomycosis: See Mycosis, cutaneous
Dermatomyositis, 716, 717
Dermatophytosis: See Mycosis, cutaneous
Dermatoses: See Dermatitis; Eczema; Skin, diseases; etc.
Diabetes Mellitus, necrobiosis lipoidica diabeticorum, 602, 722
necrobiosis lipoidica diabeticorum without diabetes, 710, 740
Diathermy: See Hair, removal
Diethylstilbestrol: See Estrogens
Directory of dermatologic societies, 883
Dorne, M.: Case for diagnosis, 449
Lupus erythematosus, 450
Pityriasis rosea with lesions occurring in scars of lupus erythematosus, 271
Pseudoxanthoma elasticum with angioid streaks, 449
Doyle, G.: Onycholysis, 707
Drugs, Eruptions: See also under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Bismuth and Bismuth Compounds; Gold and Gold Compounds; Phenolphthalein and Phenolphthalein Derivatives; Mercury; etc.
eruptions, or toxic erythema, 121
Duhring's Disease: See Dermatitis herpetiformis
Durand-Nicolas-Favre's Disease: See Lymphogranuloma Venereum
Dust, studies with antigens; preparation and properties of concentrates of house dust allergen, 115
Dyshidrosis: See under Sweat Glands
Dyskeratosis: See Keratosis
Dystrophy: See under Hair; Nails; etc.

Ear, herpes zoster of geniculate ganglion with involvement of chorda tympani and motor fibers of facial nerve, 464
Ebert, M. H.: Herpes zoster of geniculate ganglion with involvement of chorda tympani and motor fibers of facial nerve, 464
Lichen scrofulosorum associated with phlyctenular keratitis, 459
Lymphoblastoma; case for diagnosis, 458

Ebert, M. H.—Continued
Pustular psoriasis; case for diagnosis, 456
Ulceronodular syphilis with factitious dermatitis, 262
Ectodermal Defect; congenital ectodermal dysplasia, 598
congenital ectodermal dysplasia; pachyonychia congenita? 435
congenital dyskeratosis; pachyonychia congenita; pyoderma; corneal leukoma, 727
ectodermal dysplasia of anhidrotic type, 853
Eczema, eczematoid dermatitis, 745, 761
in infancy and childhood, 704
management of infantile allergic eczema, 705
Seborrheic: See Seborrhea
winter eczema; case for diagnosis 753
Edema: See also Elephantiasis; and under names of organs
circumscribed myxedema (localized solid edema of extremities in association with exophthalmic goiter [O'Leary]), 425
Electrocoagulation: See Hair, removal
Electroencephalography: See under Brain
Electrophoresis: See Grass
Electropyrexia: See under Neurosyphilis
Elephantiasis, hypertrophic lymphedema, 150
Embolism, benign embolic pyemid, 855
Emulsions, studies on ointments; ointments containing sulfur, *216
Encephalitis, Vegetative: See Acrodynia
Endarteritis, obliterative, with onychomycosis (Monilia albicans), 271
Engman, M. F., Jr.: Mineral changes in neurodermatitis revealed by microincineration, *335
Engman, M. F., Sr.: Mineral changes in neurodermatitis revealed by microincineration, *335
Epidermolysis bullosa, *647, 877
bullosa (dystrophic form), 136
bullosa, hereditary, 854
bullosa, unusual variant of; recurrent bullous eruption of feet, *327
Epidermomycosis; Epidermophytosis: See Moniliasis; Mycosis, cutaneous; Ringworm
Epilation: See Hair, removal
Epilepsy: See also Sclerosis, tuberous
symmetric nevi of face, tuberous sclerosis and fibromatous growth on scalp with abnormal electroencephalograms of members of family; report of case, *197
Epinephrine: See Adrenal Preparations
Epithelioma, 707
adenoides cysticum, 151
and radiodermatitis of arm, 861
basal cell epithelioma of scalp with possible metastases to brain, 869
basal cell epithelioma with spindle cell changes following irradiation, 278
epitheliomatosis and devitalized scar tissue; case for diagnosis, 268
extensive roentgen ray dermatitis; epitheliomas; results of therapy, 737
lupus vulgaris with spontaneous epitheliomatosis, 729
multiple basal cell epitheliomas originating from congenital pigmented basal cell nevi, *373
multiple benign cystic epithelioma or neurofibroma of skin, 875
multiple benign superficial epitheliomas (probably arsenical); psoriasis; arsenical keratoses, 135
multiple benign superficial epitheliomatosis, 136
of scalp, 446
or sarcoma, 596
squamous cell epithelioma arising in old tuberculous (?) ulcer; squamous cell epithelioma arising in old radiodermatitis, 438
squamous cell; lupus vulgaris; latent syphilis, 424
superficial epitheliomatosis, 134
Epithelium, comparative immunologic studies with salivary and epithelial extracts of dog, cat and rabbit, 854
Epstein, E.: Pyoderma faciale; acne vulgaris, 148
Epstein, N. N.: Keratosis follicularis, 143
Lymphoblastoma; case for diagnosis, 155
Pemphigus vulgaris, 154
Perlèche and cheilitis, 149
Scleroderma (progressive type), 144
Eruptions: See under Arsenic and Arsenic Compounds; Arsphenamines; Drugs; Skin, diseases; etc.
Erythema annulare perstans or granuloma annulare, 865
annulare rheumaticum, prognosis in, 701
development of cutaneous arterial "spiders" and palmar erythema in persons with liver disease and their development following administration of estrogens, 700
generalized erythematous papular eruption; case for diagnosis, 153
induratum, 708, 709
induratum, lupus erythematosus and sclerodactylia, 141
infectiosum; report of extensive epidemic, *467
multiforme, 152, 424
multiforme, dermatitis herpetiformis or pemphigus, 874
multiforme, or prurigo mitis, 292
nodosum, 259
nodosum, unilateral, 465
toxic, or drug eruption, 121
Erythredema: See Acrodynia
Erythroderma, Exfoliativum: See Dermatitis exfoliativa
Ichthyosiform: See Ichthyosis
Maculopapular: See Parapsoriasis
Érythrose peribuccale pigmentaire, lupus erythematosus resembling érythrose peribuccale pigmentaire of Brocq, 297
Esthiomene: See Lymphogranuloma Venereum
Estrogens, commercial endocrine preparations, 411
development of cutaneous arterial "spiders" and palmar erythema in persons with liver disease and their development following administration of, 700
effect on utilization of vitamin B complex, 113
use of diethylstilbestrol in treatment of kraurosis vulvae; preliminary report, *671
Evans, I. C.: Injections of gold sodium thiosulfate plus ultraviolet irradiation; effects of concurrent intradermal or intramuscular injections of gold sodium thiosulfate and ultraviolet irradiation on experimental animals, *478
Exophthalmos: See Goiter, exophthalmic
Extremities: See also Arms; etc.
Blood Supply: See Raynaud's Disease; etc.
circumscribed myxedema (localized solid edema of extremities in association with exophthalmic goiter [O'Leary]), 425
Eyelids, vitiligo of eyelids and canities of cilia in child, 274
Eyes: See also under names of special structures and diseases of eye
diseases; total alopecia associated with ocular disorders, 853
parasites; infection with Loa loa, *763

Face, pityriasis versicolor on face of infant, *251
pyoderma faciale; acne vulgaris, 148
symmetric nevi of face, tuberous sclerosis, epilepsy and fibromatous growth on scalp with abnormal electroencephalograms of members of family; report of case, *197
Falk, A.: Lupus erythematosus disseminatus, 450
Pigmented purpuric lichenoid dermatitis of Gougerot and Blum, 455
Fat: See also Lipoids
disordered fat metabolism in some skin diseases; preliminary observations, 416
in Liver: See Liver, fats and lipoids
relation of B vitamins and dietary fat to lipotropic action of choline, 257
subcutaneous fat necrosis of newborn, 266
Favre-Nicolas' Disease: See Lymphogranuloma Venereum
Favus, 272
or alopecia cicatrisata, 280

Feer's Disease: See Acrodynia
Feet: See Foot
Fever, Artificial: See Dementia Paralytica
Rocky Mountain Spotted Fever: See Rocky Mountain Spotted Fever
Fibroma, symmetric nevi of face, tuberous sclerosis, epilepsy and fibromatous growth on scalp with abnormal electroencephalograms of members of family; report of case, *197
Fifth Disease: See Erythema infectiosum
Fifth Venereal Disease: See Granuloma inguinale
Filariasis, infection with Loa loa, *763
Fingers and Toes: See also Foot
acute disseminated lupus erythematosus associated with finger lesions resembling lupus pernio, 856
chronic radiodermatitis with ulceration, 880
knuckle pads, 732
Nails: See Nails
Finkle, T. H.: Chlorophyll in treatment of ulcers, *849
Fisher, A.: Unusual case of match dermatitis, *102
Fistula, congenital epidermal canals of perineal raphe, *74
Fluorescence, properties of human skin revealed by fluorescence microscopy; paraffinoma, *637
Folliculitis decalvans (possible lupus erythematosus), 283
pustular, of scalp, 128
Food: See also Vitamins
Allergy: See also under Anaphylaxis and Allergy; and under names of various foods, as Milk; etc.
allergy, studies in; sensitization to fresh fruits; clinical and experimental observations, 854
treatment of psoriasis with lipotropic substances derived from foodstuffs, *159
Foot: See also Ankle; Fingers and Toes; etc.
bacteriology of feet and incidence of dermatophytosis of feet of high school students, *816
evaluation of fungicidal agent for fungous disease of feet; controlled hospital study, *569
fungous infections of feet treated with camphor-phenol mixture, *239
symmetric lividity of soles, *822
unusual variant of epidermolysis bullosa; recurrent bullous eruption of feet, *327
Foster, P. D.: Early Raynaud's disease; case for diagnosis, 292
Folliculitis decalvans (possible lupus erythematosus), 283
Fourth Venereal Disease: See Lymphogranuloma Venereum
Fowle, L. P.: Prepared patch for cutaneous tests, *852
Fox, H.: Edward Robert Maloney, 105
Extensive dermatitis medicamentosa (gold salts), 755
Pemphigus vulgaris or pemphigus erythematosus, 730
Fox, H. H.: Evaluation of fungicidal agent for fungous disease of feet; controlled hospital study, *569
Frank, S. B.: Unusual variant of epidermolysis bullosa; recurrent bullous eruption of feet, *327
Franks, A. G.: Acanthosis nigricans, *97
Epidermolysis bullosa, *647
Frei, W.: Combating lymphogranuloma venereum, *830
Frei Reaction: See Lymphogranuloma Venereum
Frost, K.: Chronic radiodermatitis with ulceration, 880
Lupus erythematosus and Raynaud's disease, 137
Multiform erythema or prurigo mitis, 292
Fruchtbaum, L. M.: Epithelioma and radiodermatitis of arm, 861
Poikiloderma of Civatte, 860
Fruits and Vegetables, studies in food allergy; sensitization to fresh fruits; clinical and experimental observations, 854
Fungi: See also Blastomycosis; Moniliasis; Mycosis; Ringworm; Trichophytosis; etc.
concurrent, combined and consecutive fungous infections of skin; cultural experiences, *27
evaluation of fungicidal agent for fungous disease of feet; controlled hospital study, *569
infection; case for diagnosis, 591
Fungicides: See also Ringworm
evaluation of fungicidal agent for fungous disease of feet; controlled hospital study, *569
Fusospirochetosis; aphtha or Vincent's disease, 859

Gahan, E.: Chlorophyll in treatment of ulcers, *849
Ganglion, herpes zoster of geniculate ganglion with involvement of chorda tympani and motor fibers of facial nerve, 464
Gannon, G. P.: Phenarsine hydrochloride in treatment of syphilis; preliminary report, *235
Garb, J.: Symmetric nevi of face, tuberous sclerosis, epilepsy and fibromatous growth on scalp with abnormal electroencephalograms of members of family; report of case, *197
General Paralysis: See Dementia Paralytica
Genitals: See under names of genitals, as Vagina; etc.
Glenn, W. R.: Fungous infections of feet treated with camphor-phenol mixture, *239
Glicksberg, E.: Toxic erythema or drug eruption, 121
Globulin; antibodies and protein-reserves, 855
Goeckerman, W. H.: Radiodermatitis; case for diagnosis, 289
Goiter, exophthalmic; circumscribed myxedema (localized solid edema of extremities in association with exophthalmic goiter [O'Leary]), 425
exophthalmic; osteodystrophia fibrosa combined with precocious puberty and exophthalmic goiter, 853
Gold and Gold Compounds, extensive dermatitis medicamentosa (gold salts), 755
injections of gold sodium thiosulfate plus ultraviolet irradiation; effects of concurrent intradermal or intramuscular injections of gold sodium thiosulfate and ultraviolet irradiation on experimental animals, *478
pityriasis-rosea-like eruption from gold salts; lichen-planus-like eruption from gold salts, 712
Therapy: See under Lupus erythematosus; etc.
Goldman, L.: Evaluation of fungicidal agent for fungous disease of feet; controlled hospital study, *569
Goldmann, B. A.: Phenarsine hydrochloride in treatment of syphilis; preliminary report, *235
Goldstein, H.: Erythema infectiosum; report of extensive epidemic, *467
Goldstein's Disease: See Telangiectasia
Gonorrhea: See also Venereal Diseases
incidence of syphilis in male gonorrheal clinic, 415
Good, C. K.: Symmetric nevi of face, tuberous sclerosis, epilepsy and fibromatous growth on scalp with abnormal electroencephalograms of members of family; report of case, *197
Goodman, M. H.: Combined vaccine and toxoid therapy of staphylococcic infections of skin, *640
Gordon Test: See Hodgkin's Disease
Grafts: See under Bones
Graham, J. C.: Cylindroma; case for diagnosis, 747, 761
Lupus erythematosus; case for diagnosis, 754
Granuloma annulare, 130, 131, 276
annulare or erythema annulare perstans, 865
annulare or sarcoid, 151

Granuloma—Continued
Fungoides: See Mycosis fungoides
Inguinale: See also Lymphogranuloma Venereum
inguinale; latent syphilis, 127
Malignant: See Hodgkin's Disease
Grass, electrophoretic skin studies; reaction to common grasses, 115
Graves, J.: Raynaud's disease with sclerodactylia and calcinosis circumscripta, 145
Graves' Disease: See Goiter, exophthalmic
Greenbaum, S. S.: Cutaneous syphilis associated with lymphoblastoma, 440
Herxheimer reaction in secondary syphilis 4 days after massive therapy (5-day treatment), 592
Griffith, G. C.: Disseminated pseudoxanthoma elasticum, 441
Gross, E. R.: Pachyonychia congenita, 435
Gross, P.: Eruption due to vitamin B complex deficiency and precipitated by prolonged bismuth therapy, 862
Lupus erythematosus clearing after tonsillectomy and sulfanilamide treatment, 865
Treatment of psoriasis with lipotropic substances derived from foodstuffs, *159
Guequierre, J. P.: Lupus erythematosus, 432
Guy, W. H.: Infection with Loa loa, *763
Phenarsine hydrochloride in treatment of syphilis; preliminary report, *235

Hailey, H.: Synovial lesions of skin, 252
Hailey, H. E.: Fungous infections of feet treated with camphor-phenol mixture, *239
Hair: See also Alopecia
abnormalities; pili torti hereditarii, 413
chronic scarring pseudofolliculitis of Negro beard, *782
hairy tongue, 429
hereditary dystrophy of hair and nails; report of case, *486
histopathology of rat skin in avitaminosis A, *768
naevus pilosus, growing slowly, 591
removal; treatment of hypertrichosis by electrocoagulation, 259
syndrome characterized by primary ovarian insufficiency and decreased stature, 853
wooly-haired nevus of scalp, 286
Hall, A. F.: Discoid lupus erythematosus of tongue; case for diagnosis, 133
Lupus erythematosus in red part of tattooed area, 610
Monocytic leukemia with lesions of skin and mucous membranes as first manifestations, 298
Hallopeau's Disease: See Acrodermatitis
Halloran, C.: Verrucae with lichen planus; case for diagnosis, 139
Hamartoma, hamartial nature of tuberous sclerosis complex and its bearing on tumor problem, 113
Hand: See Fingers and Toes
Hansen's Disease: See Leprosy
Hardy, M. K.: Interstitial keratitis of right eye developing after full quota of treatment and 4 years after involvement of left eye, 442
Juvenile tabes with atrophy of optic nerve, 430
Photosensitization pigmentation or melanosis of Riehl, 438
Sarcoidosis, 444
Hay Fever: See Anaphylaxis and Allergy; Ragweed
Haynes, H. A., Jr.: Keratosis follicularis, 421
Heart, disease, argyria confused with, 259
Hecht, H.: Angiokeratoma; case for diagnosis, 122
toxic erythema or drug eruption, 121
Heisel, E. B.: Annular papular syphiloderm, 593
Congenital ectodermal dysplasia, 598
Dermatitis exfoliativa, 599
Lichen planus or neurodermatitis, 594
Heisel, E. B.—Continued
Lymphogranuloma venereum with early rectal stricture; latent tertiary syphilis, 594
Secondary syphilis; bilateral optic neuritis and retinitis, 600
Spindle cell sarcoma of scalp with metastasis to posterior cervical nodes, 595
Hemangioma, 433
irradiation treatment of cavernous hemangioma with reference to so-called contact roentgen irradiation, 857
Hemopoietic System, Diseases: See Leukemia; etc.
Henningsen, A. B.: Evaluation of fungicidal agent for fungous disease of feet; controlled hospital study, *569
Hepatitis: See Jaundice
Herold, W. C.: Histochemistry of pemphigus lesions with reference to bullous formation, *517
Herpes recurrens of wrist, 744
zoster of geniculate ganglion with involvement of chorda tympani and motor fibers of facial nerve, 464
zoster (of traumatic origin), 431
Herxheimer Reaction: See Syphilis
Hesselbrock, J.: Evaluation of fungicidal agent for fungous disease of feet; controlled hospital study, *569
Hidradenitis: See Sweat Glands
Histamine in Blood: See under Blood
test, with reference to diagnosis of leprosy, *826
Histiocytoma cutis; variant of xanthoma; histologic and clinical studies of 27 lesions in 23 cases, *498
Hodgkin's Disease, ichthyosiform atrophy of skin in, *778
reliability and significance of Gordon test, 114
Hopper, M. E.: Concurrent, combined and consecutive fungous infections of skin; cultural experiences, *27
Hormones: See also Adrenal Preparations; Androgens; Estrogens; Pituitary Preparations; etc.
commercial endocrine preparations, 411
Hospitals, evaluation of fungicidal agent for fungous disease of feet; controlled hospital study, *569
Hubler, W. R.: Basal cell epithelioma of scalp with possible metastases to brain, 869
Dermatitis medicamentosa (phenolphthalein), 870
Pemphigus vulgaris, 866
Rhinophyma, 868
Hyperkeratosis: See Keratosis
Hyperpigmentation: See Pigmentation
Hyperpyrexia: See under Dementia Paralytica; etc.
Hypertrichosis: See Hair
Hypodermatitis: See Tuberculosis
Hypotrichosis: See Alopecia

Ichthyosis, ichthyosiform atrophy of skin in Hodgkin's disease, *778
with secondary pyoderma, 441
Icterus: See Jaundice
Immunity: See Anaphylaxis and Allergy; Antigens and Antibodies; etc.
Incontinentia Pigmenti: See Pigmentation
Industrial Diseases, industrial illness due to tetryl, 255
recognition of occupational dermatoses, 856
"red moss" dermatitis; contact with sponges affecting oystermen, *574
sensitization, 857
skin irritants, 856
Infantilism, lupus erythematosus associated with idiopathic infantilism in child, 277
Infants, acne vulgaris in, 858
newborn, dermatitis herpetiformis Duhring in, 118
newborn, subcutaneous fat necrosis of, 266
pityriasis versicolor on face of infant, *251
Infection, irradiation in, 414

Infectious Diseases: See Infection; Syphilis; etc.
Ingels, A. E.: Boeck's sarcoid, 148
Epithelioma adenoides cysticum, 151
Granuloma annulare or sarcoid, 151
Hypertrophic lymphedema, 150
Keratosis follicularis, 143
Lichen sclerosus et atrophicans, 147
Vascular tumor; case for diagnosis, 154
Injections, mapharsen and neoarsphenamine administered by continuous intravenous drip method; toxicity for rabbits, *665
Insulin: See Diabetes Mellitus
Iodine and Iodine Compounds, iodine allergy, 856
Irgang, S.: Superficial papulonecrotic tuberculid in Negro, *627
Islands of Langerhans: See Pancreas
Itching: See Pruritus
Ivy Poisoning: See Rhus, poisoning

Jacob, F. M.: Infection with Loa loa, *763
Jacobi-Petges' Disease: See Poikiloderma vasculare atrophicans
Jacobson, H. P.: Callosities, multiple, congenital, 288
Jadassohn's Disease: See Atrophy
Jaundice, bismuth hepatitis; survey of 121 cases, 413
Jelly leeks; aloe vera, *249
Jensen, A. K.: Dermatitis venenata and lupus erythematosus, 878
Epidermolysis bullosa, 877
Epithelioma of scalp, 446
Hyperkeratotic dermatophytosis, 131
Lupus erythematosus; case for diagnosis, 607
Johnson-Stevens Disease: See Erythema multiforme
Junqueira, M. A.: Tinea versicolor involving scalp, *546
Juxta-Articular Nodes: See Nodes

Kahn, D.: Lymphoblastoma simulating parapsoriasis, 461
Unilateral erythema nodosum, 465
Xanthoma disseminatum, 263
Kahn Test: See under Syphilis
Kaposi's Sarcoma: See Sarcoma
Varicelliform Eruption: See Pyoderma
Katz, S.: Herxheimer reaction in secondary syphilis 4 days after massive therapy (5-day treatment), 592
Keddie, F.: Keratosis follicularis, 143
Keil, H.: Contact dermatitis due to resin-finished facing in cotton underwear; report of case, with consideration of cause, pathogenesis and related phenomena, *242
Keloid: See also Cicatrix
and their treatment, 258
roentgen therapy of hypertrophic scars and keloids, 857
Kemp, C. E.: Sclerema neonatorum, 266
Subcutaneous fat necrosis of newborn, 266
Trophic ulcers resembling condylomas, 266
Urticaria pigmentosa, 452
Keratitis, interstitial; analysis of 532 cases with reference to standardization of treatment, 700
interstitial, of right eye developing after full quota of treatment and 4 years after involvement of left eye, 442
lichen scrofulosorum associated with phlyctenular keratitis, 459
lupus erythematosus with bilateral tuberculous keratitis, 709
opaque cornea due to interstitial keratitis treated by keratoplasty, 871
Keratoplasty: See Cornea
Keratosis: See also Ichthyosis
callosities, multiple, congenital, 288
congenital dyskeratosis; ectodermal defect; pachyonychia congenita; pyoderma; corneal leukoma, 727
dyskeratoid bullous dermatosis, 746
follicularis, 143, 421
follicularis (Darier); treatment with vitamin A, 288, 293
Keratosis—Continued
follicularis; incipient Darier's disease (?); benign pemphigus of Hailey and Hailey (?), 728
follicularis with unusual involvement of scalp; report of case, *398
histopathology of rat skin in avitaminosis A, *768
hyperkeratosis ungualis universalis, 415
hyperkeratotic dermatophytosis, 131
multiple benign superficial epitheliomas (probably arsenical); psoriasis; arsenical keratoses, 135
porokeratosis Mibelli; report of 3 cases in 1 family; histologic studies, *1
Kesten, B.: Treatment of psoriasis with lipotropic substances derived from foodstuffs, *159
Kidneys, hamartial nature of tuberous sclerosis complex and its bearing on tumor problem, 113
Klauder, J. V.: Atrophy of optic nerve; congenital syphilis, 430
Atrophy of optic nerve; rapid progress, 429
Disseminated pseudoxanthoma elasticum, 441
Generalized late syphilid, 442
Herpes zoster (of traumatic origin), 431
Kline, P. R.: Chlorophyll in treatment of ulcers, *849
Kline Test: See under Syphilis
Knuckle Pads: See Fingers and Toes
Kolmer, J. A.: Mapharsen and neoarsphenamine administered by continuous intravenous drip method; toxicity for rabbits, *665
Koransky, A. R.: Pityriasis lichenoides chronica; case for diagnosis, 453
Kraurosis: See Vulva
Krause, M. E.: Annular papular syphiloderm, 593
Congenital ectodermal dysplasia, 598
Dermatitis exfoliativa, 599
Lichen planus or neurodermatitis, 594
Lymphogranuloma venereum with early rectal stricture; latent tertiary syphilis, 594
Secondary syphilis; bilateral optic neuritis and retinitis, 600
Spindle cell sarcoma of scalp with metastasis to posterior cervical nodes, 595
Kritzler, R. A.: Nodular nonsuppurative panniculitis, *82

Labia Majora: See Vulva
Laennec's Disease: See Liver, cirrhosis
Lamb, J. H.: Congenital epidermal canals of perineal raphe, *74
Langerhans' Islands: See Pancreas
LaRocco, C. G.: Adenoma sebaceum, 422
Neurogenic arthropathy, result of bone graft, 421
Neurotic excoriations, 419
Tinea amiantacea, 419
Tuberculosis verrucosa cutis or verruca vulgaris, 417
Larva Migrans: See Creeping Eruption
Legs: See Extremities; Foot
Ulcers: See Ulcers
Lehndorff-Leiner Disease: See Erythema annulare rheumaticum
Leiner-Lehndorff Disease: See Erythema annulare rheumaticum
Lentigines, their possible significance, *804
Lentz, J. W.: Case for diagnosis, 591
Pemphigus foliaceus, 436
Leprosy, histamine test, with reference to diagnosis of, *826
lepromatous type, 445
neural type, 861
Leukemia cutis, 422
monocytic, with lesions of skin and mucous membranes as first manifestations, 298
Leukocytes: See also Leukemia; etc.
leukemoid reaction to sulfadiazine, 856
Leukoderma: See Vitiligo
Leukoma: See Cornea
Leukopathia: See Vitiligo

Leukoplakia: See Vulva
Lever, W. F.: Dermatitis herpetiformis; immunologic and therapeutic considerations, *680
Levine, B.: Angiokeratoma; case for diagnosis, 122
Pemphigus vulgaris, 119
Lewis, G. M.: Concurrent, combined and consecutive fungous infections of skin; cultural experiences, *27
Lupus erythematosus (discoid type); macular atrophy (primary), 759
Multiple vitamin deficiency; eruption due to petrolatum? 752
Lichen nitidus, 296
nitidus; acne varioliformis, 722
pigmented purpuric lichenoid dermatitis of Gougerot and Blum, 455, 589
planopilaris or lichen spinulosus, 874
planus, 710
planus involving palms, 268
planus of soles, 136
planus or neurodermatitis, 594
planus; pityriasis-rosea-like eruption from gold salts; lichen-planus-like eruption from gold salts, 712
planus, progressing in spite of treatment, 296
planus with verrucae; case for diagnosis, 139
sclerosus et atrophicans, 147, 874
scrofulosorum, 282
scrofulosorum associated with phlyctenular keratitis, 459
Simplex Chronicus: See Neurodermatitis
spinulosus or lichen planopilaris, 874
Lichenification: See Neurodermatitis
Lieberthal, E. P.: Extensive naevus pigmentosus with neuroma, neurofibromatosis and mesodermal dysplasia, 264
Light: See also Radiations; Ultraviolet Rays; etc.
role of bases in ointments used for protection against sunlight, 115
toxicity; photosensitization pigmentation or melanosis of Riehl, 438
toxicity; phytophotodermatitis, 416
Lindsay, H. C. L.: Parapsoriasis, 882
Rosacea improved by sulfanilamide, 609
Syphilis simulating lupus erythematosus; case for diagnosis, 879
Lingua: See Tongue
Lipids: See Blood, fats and lipoids; Lipoids
Lipoidosis: See Lipoids; Xanthoma
Lipoids: See also Fat
lipid proteinosis (Urbach-Wiethe), *301
necrobiosis lipoidica diabeticorum, 602, 722
necrobiosis lipoidica diabeticorum without diabetes, 710, 740
treatment of psoriasis with lipotropic substances derived from foodstuffs, *159
Lips, cancer of lower lip; treatment with radiation, 702
cancer, results of irradiation treatment; analysis of 636 cases from 1926-1936, 259
cylindroma; case for diagnosis, 747, 761
diseases; perlèche and cheilitis, 149
diseases; studies of B vitamins in human subject (response of cheilosis to vitamin therapy), 112
pemphigus vulgaris (chronic benign type) of nose, lip, mouth and throat, 272
Lithium Antimoniothiomalate: See Lymphogranuloma Venereum
Liver, cirrhosis, with naevus araneus type of telangiectases, 455
development of cutaneous arterial "spiders" and palmar erythema in persons with liver disease and their development following administration of estrogens, 700
fats and lipoids; relation of B vitamins and dietary fat to lipotropic action of choline, 257
Livingood, C. S.: Hereditary dystrophy of hair and nails; report of case, *486
Loa loa, infection with, *763
Loewenthal, K.: Sensitivity to tuberculin in acne and in other nontuberculous diseases of skin, *799
Long, W. E.: Treatment of syphilis with phenarsine hydrochloride; preliminary report, *226
Love, W. R.: Epithelial cysts, *185
Luetin Test: See under Syphilis
Lungs, acute disseminated lupus erythematosus without cutaneous manifestations and with heretofore undescribed pulmonary lesions, 114
Tuberculosis: See Tuberculosis, pulmonary
Lunsford, C. J.: Raynaud's disease; case for diagnosis, 146
Luotest: See under Syphilis
Lupoid: See Sarcoidosis
Lupus: See also Tuberculosis
erythematosus, 140, 291, 432, 450
erythematosus, acute disseminated, associated with finger lesions resembling lupus pernio, 856
erythematosus, acute disseminated, without cutaneous manifestations and with heretofore undescribed pulmonary lesions, 114
erythematosus and dermatitis venenata, 878
erythematosus and Raynaud's disease, 137
erythematosus associated with idiopathic infantilism in child, 277
erythematosus, aurotherapy (gold therapy); study based on further experience of 14 years, 258
erythematosus; case for diagnosis, 607, 754
erythematosus, chronic disseminated, 721
erythematosus clearing after tonsillectomy and sulfanilamide treatment, 865
erythematosus (combined with lupus vulgaris?), 432
erythematosus, discoid; case for diagnosis, 124
erythematosus, discoid, of tongue, 133
erythematosus (discoid type); macular atrophy (primary), 759
erythematosus, disseminated, specificity of periarterial fibrosis of spleen in, 853
erythematosus disseminatus, 444, 450
erythematosus disseminatus (poikilodermatomyositis), 734
erythematosus disseminatus subacutus, 601
erythematosus, erythema induratum and sclerodactylia, 141
erythematosus; folliculitis decalvans (possible lupus erythematosus), 283
erythematosus in red part of tattooed area, 610
erythematosus, pityriasis rosea with lesions occurring in scars of, 271
erythematosus resembling érythrose peribuccale pigmentaire of Brocq, 297
erythematosus, syphilis simulating lupus erythematosus; case for diagnosis, 879
erythematosus, tuberculosis and chrysiasis, 149
erythematosus with bilateral tuberculous keratitis, 709
pernio, acute disseminated lupus erythematosus associated with finger lesions resembling lupus pernio, 856
vulgaris, 117, 122
vulgaris; lupus erythematosus (combined with lupus vulgaris?), 432
vulgaris; squamous cell epithelioma; latent syphilis, 424
vulgaris with pulmonary tuberculosis, 453
vulgaris with spontaneous epitheliomatosis, 729
Lygranum: See Lymphogranuloma Venereum
Lymph Nodes: See Lymphosarcoma
Lymphangioma, 277
Lymphedema: See Elephantiasis
Lymphoblastoma, 462
associated with cutaneous syphilis, 440
case for diagnosis, 126, 155, 420, 458
simulating parapsoriasis, 461
Lymphogranuloma, Hodgkin's: See Hodgkin's Disease
Inguinale: See Granuloma inguinale; Lymphogranuloma Venereum
Schaumann's: See Sarcoidosis

Lymphogranuloma Venereum, anthiomaline (lithium antimoniothiomalate); further evaluation of its effect in lymphogranuloma venereum, 255
combating, *830
diagnosis; evaluation of virus antigen (lygranum) prepared from culture on chick embryo, 255
histopathogenesis of, 706
of unusual location and extent; report of case, *685
therapy of, 117
with early rectal stricture; latent tertiary syphilis, 594
Lymphopathia Venereum: See Lymphogranuloma Venereum
Lymphosarcoma with prurigo-like cutaneous eruption, 127

MacCardle, R. C.: Histochemistry of pemphigus lesions with reference to bullous formation, *517
Mineral changes in neurodermatitis revealed by microincineration, *335
MacKee, G. M.: Area factor in roentgen irradiation, *657
Shock-proof roentgen ray apparatus in dermatology, *43
Time factor in irradiation, *490; correction, 762
MacVicar, D. N.: Dermatitis factitia, 120
Granuloma inguinale; latent syphilis, 127
Lymphoblastoma; case for diagnosis, 126
Lymphosarcoma with prurigo-like cutaneous eruption, 127
Scleroderma, generalized progressive type, 125
Madden, J. F.: Reaction due to sulfapyridine in treatment of dermatitis herpetiformis, *695
Malaria, Therapeutic: See Dementia Paralytica
Malingering, dermatitis factitia, 120
erythema induratum; case for diagnosis, 709
ulceronodular syphilis with factitious dermatitis, 262
Mantoux Test: See Tuberculosis
Manzanillo tree, dermatitis venenata caused by, *36
dermatitis venenata caused by; further observations and report of 60 cases, *797
Mapharsen: See Arsenic and Arsenic Compounds; Syphilis
Markowitz, M.: Seborrheic streptodermatitis and late syphilis, 590
Matches, unusual case of match dermatitis, *102
Mattice, M. R.: Doubtful value of sodium thiosulfate in therapy of arsenical dermatitis, *175
Medicine, Military: See also Recruits; etc.
combating lymphogranuloma venereum, *830
dermatitis venenata caused by manzanillo tree, *36
dermatitis venenata caused by manzanillo tree; further observations and report of 60 cases, *797
epidermolysis bullosa, *647
hereditary dystrophy of hair and nails; report of case, *486
symmetric lividity of soles, *822
Melanin: See also Melanoma; Pigmentation
melanosis of Riehl, 609
photosensitization pigmentation or melanosis of Riehl, 438
Melanoma, case for diagnosis, 604
malignant, 427
Melanosis: See Melanin
Meningoencephalomyelitis, postvaccinal, 700
Mercury, pityriasis-rosea-like dermatitis medicamentosa (due to mercury?), 284
Sulfide: See Pruritus
Mesoderm and Mesodermal Tissues, extensive naevus pigmentosus with neuroma, neurofibromatosis and mesodermal dysplasia, 264
Metasyphilis: See Syphilis, congenital
Mibelli's Disease: See Keratosis
Microincineration: See Tissue, sections
Microscopy, Fluorescence: See Fluorescence
Military Medicine: See Medicine, Military
Milk, allergy; eczema in infancy and childhood, 704
vegetable milk substitute: taro, 256
Miller, H. E.: Acrodermatitis chronica atrophicans, 146
Miller, J. L.: Nodular nonsuppurative panniculitis, *82
Mineral changes in neurodermatitis revealed by microincineration, *335
Mirovich, J.: Malignant reticuloendothelioma, 877
Moles: See Nevi
Moniliasis, obliterative endarteritis with onychomycosis (Monilia albicans), 271
Monocytes: See Leukemia, monocytic
Montgomery, H.: Acne conglobata; pyoderma; hidradenitis, 725
Acne varioliformis, 722
Acrodynia, 720
Acrosclerosis (Sellei), 718, 719
Chronic disseminated lupus erythematosus, 721
Congenital dyskeratosis; ectodermal defect; pachyonychia congenita; pyoderma; corneal leukoma, 727
Dermatomyositis, 716, 717
Disseminated neurodermatitis with early cataract, 713
Epithelial cysts, *185
Exfoliative psoriasis, 716
Hidradenitis suppurativa of axillas; extensive pyoderma of vulva, 725
Incipient Darier's disease (?); benign pemphigus of Hailey and Hailey (?), 728
Lichen nitidus; acne varioliformis, 722
Localized scleroderma (morphea), 718
Lupus vulgaris with spontaneous epitheliomatosis, 729
Mycosis fungoides, 723
Necrobiosis lipoidica diabeticorum, 722
Pemphigus vegetans, 711
Pityriasis-rosea-like eruption from gold salts; lichen-planus-like eruption from gold salts, 712
Pityriasis rubra pilaris, 727
Pyoderma, 724
Ragweed dermatitis, 714
Sarcoidosis, 729
Moorman, H. E.: Bacteriology of feet and incidence of dermatophytosis of feet of high school students, *816
Morphea: See Scleroderma
Morse, J. L.: Kaposi's sarcoma, 605
Moult, F. H.: Histopathology of rat skin in avitaminosis A, *768
Mouth: See also Stomatitis; etc.
pemphigus of, 294
pemphigus vulgaris (chronic benign type) of mouth, throat and vaginal orifice, 273
pemphigus vulgaris (chronic benign type) of nose, lip, mouth and throat, 272
sarcoma of Kaposi with buccal lesion, 733
Mucous Membrane: See also Lips; Mouth; Nose; etc.
monocytic leukemia with lesions of skin and mucous membranes as first manifestations, 298
Mutscheller, A.: Area factor in roentgen irradiation, *657
Shock-proof roentgen ray apparatus in dermatology, *43
Time factor in irradiation, *490; correction, 762
Mycobacterium Leprae: See under Leprosy
Mycosis: See also Blastomycosis; Moniliasis; Nails; Ringworm; Stomatitis; etc.
cutaneous; concurrent, combined and consecutive fungous infections of skin; cultural experiences, *27
cutaneous; dermatomycosis in Buenos Aires, 858
cutaneous; hyperkeratotic dermatophytosis, 131
fungoides, 723, 750, 864

Mycosis—Continued
fungoides in patient with carcinoma of colon, 860
fungoides or extracellular cholesterosis, 446
Myositis, poikilodermatomyositis (lupus erythematosus disseminatus?), 734
Myxedema, circumscribed, 863
circumscribed (localized solid edema of extremities in association with exophthalmic goiter [O'Leary]), 425

Nails, abnormalities; congenital dyskeratosis; ectodermal defect; pachyonychia congenita; pyoderma; corneal leukoma, 727
abnormalities; congenital ectodermal dysplasia; pachyonychia congenita, 435
abnormalities; hyperkeratosis ungualis universalis, 415
abnormalities; pachyonychia congenita, 435
dermatitis repens; case for diagnosis, 261
diseases; onycholysis, 707
hereditary dystrophy of hair and nails; report of case, *486
median canal-like dystrophy; report of case, *406
obliterative endarteritis with onychomycosis (Monilia albicans), 271
Trichophyton purpureum infection of, 129
Neck, spindle cell sarcoma of scalp with metastasis to posterior cervical nodes, 595
Necrobiosis lipoidica diabeticorum, 602, 722
lipoidica diabeticorum without diabetes, 710, 740
Necrosis, subcutaneous fat necrosis of newborn, 266
Negroes, chronic scarring pseudofolliculitis of Negro beard, *782
psoriasis in full-blooded Negro; report of case, *102
superficial papulonecrotic tuberculid in, *627
Nelson, L. M.: Symmetric lividity of soles, *822
Neoarsphenamine: See Arsphenamines; and under names of various diseases, as Syphilis; etc.
Neoplasms: See Cancer; Sarcoma
Nerves: See also Nervous System; Neuritis; Paralysis
facial; herpes zoster of geniculate ganglion with involvement of chorda tympani and motor fibers of facial nerve, 464
leprosy (neural type), 861
optic, atrophy of; congenital syphilis, 430
optic, atrophy of; rapid progress, 429
optic, juvenile tabes with atrophy of, 430
optic; treatment of syphilitic primary optic atrophy, 254
Nervous System: See also Brain; Nerves; etc.
Argyll Robertson pupils occurring in neuromyelopathy simulating tabes dorsalis, 871
Syphilis: See Neurosyphilis
Netherton, E. W.: Lupus vulgaris, 122
Poikiloderma vasculare atrophicans, 417
Neuritis, peripheral; histamine test, with reference to diagnosis of leprosy, *826
secondary syphilis; bilateral optic neuritis and retinitis, 600
Neurodermatitis, disseminated, with early cataract, 713
lichen simplex chronicus of palms and soles, 858
mineral changes revealed by microincineration, *335
or lichen planus, 594
Neurofibroma, multiple benign cystic epithelioma or neurofibroma of skin, 375
Neurofibromatosis, extensive naevus pigmentosus with neuroma, neurofibromatosis and mesodermal dysplasia, 264
Neuroma, extensive naevus pigmentosus with neuroma, neurofibromatosis and mesodermal dysplasia, 264
Neuroses and Psychoneuroses, neurotic excoriations, 419
Neurosyphilis: See also Dementia Paralytica; Nerves, optic; Tabes Dorsalis
aspects of allergy associated with, 260
Nevi, case for diagnosis, 448
extensive naevus pigmentosus with neuroma, neurofibromatosis and mesodermal dysplasia, 264
melanotic, 138
multiple basal cell epitheliomas originating from congenital pigmented basal cell nevi, *373
naevus araneus type of telangiectases with cirrhosis of liver, 455
naevus pilosus, growing slowly, 591
symmetric, of face, tuberous sclerosis, epilepsy and fibromatous growth on scalp with abnormal electroencephalograms of members of family; report of case, *197
wooly-haired nevus of scalp, 286
Nevoxanthoendothelioma or juvenile xanthomatosis, 289
Newman, B. A.: Juvenile xanthomatosis or nevoxanthoendothelioma, 289
Keratosis follicularis (Darier) after treatment with vitamin A, 293
Keratosis follicularis (Darier) treated with vitamin A, 288
Multiple idiopathic hemorrhagic sarcoma (Kaposi) producing urethral stricture, 293
Palmar lesions (syphilis corné?), 137
Nicholas, L.: Demodex folliculorum; its incidence in routine histologic study of skin, *793
Purpuric pigmented lichenoid dermatitis of Gougerot and Blum, 589
Nicolas-Favre Disease: See Lymphogranuloma Venereum
Nicotinic Acid: See also Vitamins, B
urinary excretion in various dermatoses, 257
Nikolsky's Test: See Pemphigus
Nisbet, T. W.: Multiple basal cell epitheliomas originating from congenital pigmented basal cell nevi, *373
Tinea capitis with trichophytid, 139
Nitritoid Crisis: See Tryparsamide
Nitroaniline, industrial illness due to tetryl (trinitrophenylmethylnitramine), 255
Nodes: See also Erythema nodosum; Panniculitis; etc.
juxta-articular, 456
syphilitic juxta-articular nodes; case for diagnosis, 876
Noojin, R. O.: Action of sulfonamide compounds on Blastomyces dermatitidis in vitro, *620
Norris, C. B.: Anergic proliferative tuberculosis of skin, 872
Nose, pemphigus vulgaris (chronic benign type) of nose, lip, mouth and throat, 272
rhinophyma, 868
sporotrichosis, 742
tuberculosis cutis of, 279
Novy, F. G., Jr.: Erythema multiforme, 152
Lupus erythematosus, 140

Obermayer, M. E.: Lupus erythematosus resembling érythrose peribuccale pigmentaire of Brocq, 297
Mycosis fungoides or extracellular cholesterosis, 446
Pityriasis-rosea-like dermatitis medicamentosa (due to mercury?), 284

Obituaries:
Cregor, Frank W., 109, 409
Fraser, J. Frank, 466, 586
Maloney, Edward Robert, 105
Smith, David King, 108

Occupational Diseases: See Industrial Diseases
Ointments, role of bases in ointments used for protection against sunlight, 115
studies on ointments containing salicylic acid, *16
studies on ointments containing sulfur, *216
O'Leary, P. A.: Acne conglobata; pyoderma; hidradenitis, 725
Acne varioliformis, 722
Acrodynia, 720
Acrosclerosis, *382

O'Leary, P. A.—Continued
Acrosclerosis (Seiler), 718, 719
Chronic disseminated lupus erythematosus, 721
Congenital dyskeratosis; ectodermal defect; pachyonychia congenita; pyoderma; corneal leukoma, 727
Dermatomyositis, 716, 717
Disseminated neurodermatitis with early cataract, 713
Exfoliative psoriasis, 716
Hidradenitis suppurativa of axillas; extensive pyoderma of vulva, 725
Incipient Darier's disease (?); benign pemphigus of Hailey and Hailey (?), 728
Lichen nitidus; acne varioliformis, 722
Localized scleroderma (morphea), 718
Lupus vulgaris with spontaneous epitheliomatosis, 729
Mycosis fungoides, 723
Necrobiosis lipoidica diabeticorum, 722
Pemphigus vegetans, 711
Pityriasis-rosea-like eruption from gold salts; lichen-planus-like eruption from gold salts, 712
Pityriasis rubra pilaris, 727
Pyoderma, 724
Ragweed dermatitis, 714
Sarcoidosis, 729
Oleoresin: See Rhus, poisoning
Oliver, E. A.: Lupus vulgaris with pulmonary tuberculosis, 453
Pemphigus vulgaris, 451
Pityriasis lichenoides chronica; case for diagnosis, 453
Omens, D. V.: Lupus erythematosus disseminatus, 450
Sclerema neonatorum, 266
Subcutaneous fat necrosis of newborn, 266
Trophic ulcers resembling condylomas, 266
Urticaria pigmentosa, 452
Omens, H. D.: Lupus erythematosus disseminatus, 450
Sclerema neonatorum, 266
Subcutaneous fat necrosis of newborn, 266
Trophic ulcers resembling condylomas, 266
Urticaria pigmentosa, 452
Onychia: See Nails
Onycholysis: See Nails, diseases
Onychomycosis: See Nails
Oppenheim, M.: Acetarsone in treatment of pemphigus, *40
Juxta-articular nodes, 456
Pityriasis lichenoides chronica varicelliformis, 465
Osler's Disease: See Telangiectasia
Osteitis fibrosa; osteodystrophia fibrosa combined with precocious puberty and exophthalmic goiter, 853
Osteodystrophia Fibrosa: See Osteitis fibrosa
Osteomyelitis, osseous syphilis; confusion in diagnosis; report of 2 cases of osteomyelitis of late syphilis, 254
Ovary, commercial endocrine preparations, 411
syndrome characterized by primary ovarian insufficiency and decreased stature, 853
Oysters, "red moss" dermatitis; contact with sponges affecting oystermen, *574

Pachyonychia: See Nails, abnormalities
Palsy: See Paralysis
Pancreas, commercial endocrine preparations, 411
Panniculitis and sclerodermatous changes secondary to long-continued administration of epinephrine for asthma, 132
nodular nonsuppurative, *82
Paraffinoma, properties of human skin revealed by fluorescence microscopy; paraffinoma, *637
Paralysis, General: See Dementia Paralytica
herpes zoster of geniculate ganglion with involvement of chorda tympani and motor fibers of facial nerve, 464
Parapsoriasis, 882
en plaques; case for diagnosis, 607
or dermatitis medicamentosa (phenolphthalein), 749
pityriasis lichenoides chronica; case for diagnosis, 453
pityriasis lichenoides chronica varicelliformis, 465
simulating lymphoblastoma, 461
Parathyroid, commercial endocrine preparations, 411
Pardo-Castello, V.: Histamine test with reference to diagnosis of leprosy, *826
Paresis: See Dementia Paralytica
Patch Test: See Anaphylaxis and Allergy
Pathomimesis: See Malingering
Pemphigus: See also Epidermolysis bullosa
acetarsone in treatment, *40
dermatitis herpetiformis or erythema multiforme, 874
erythematosus or pemphigus vulgaris, 730
erythematosus (Senear-Usher), 601
foliaceus, 436
foliaceus, in Brazil; its relations to Senear-Usher syndrome and European pemphigus foliaceus; preliminary observations, 858
histochemistry of lesions with reference to bullous formation, *517
incipient Darier's disease (?); benign pemphigus of Hailey and Hailey (?), 728
of mouth, 294
vegetans, 711
vulgaris, 119, 154, 451, 593, 866
vulgaris (chronic benign type) of mouth, throat and vaginal orifice, 273
vulgaris (chronic benign type) of nose, lip, mouth and throat, 272
vulgaris (cured?), 760
vulgaris or pemphigus erythematosus, 730
Perineum, congenital epidermal canals of perineal raphe, *74
Perlèche: See Lips, diseases
Perspiration: See under Sweat Glands
Petges-Jacobi's Disease: See Poikiloderma vasculare atrophicans
Petrolatum, multiple vitamin deficiency; eruption due to petrolatum? 752
studies on ointments; ointments containing sulfur, *216
Phakomatoses: See Sclerosis, tuberous
Phalanges: See Fingers and Toes
Pharmacist, role in controlling venereal diseases, 109
Phenarsine Hydrochloride: See Syphilis
Phenol: See Ringworm
Phenolphthalein and Phenolphthalein Derivatives, dermatitis medicamentosa, 870
dermatitis medicamentosa or parapsoriasis, 749
toxic erythema or drug eruption, 121
Photosensitization: See Light
Piffard, scleriasis (scleredema adultorum) as first described by, 110
Pigmentation: See also Hair; Melanin; Nevi; Schamberg's Disease; etc.
injections of gold sodium thiosulfate plus ultraviolet irradiation; effects of concurrent intradermal or intramuscular injections of gold sodium thiosulfate and ultraviolet irradiation on experimental animals, *478
melanotic nevus, 138
photosensitization pigmentation or melanosis of Riehl, 438
progressive pigmentary dermatosis, 125
Pili Torti: See Hair, abnormalities
Pillsbury, D. M.: Case for diagnosis, 591
Hemangioma, 433
Naevus pilosus, growing slowly, 591
Purpuric pigmented lichenoid dermatitis of Gougerot and Blum, 589
Pink Disease: See Acrodynia
Pinkus, H.: Chronic scarring pseudofolliculitis of Negro beard, *782
Pinta, White: See Vitiligo
Pituitary Preparations, commercial endocrine preparations, 411

Pityriasis, Lichenoides: See Parapsoriasis
rosea-like dermatitis medicamentosa (due to mercury?), 284
rosea-like eruption from gold salts; lichen-planus-like eruption from gold salts, 712
rosea; syphilis and biotropic skin-exanthems of known bacterial, hematogen-endogenous origin; seborrheic dermatitis, pompholyx, pityriasis rosea, psoriasis vulgaris, 857
rosea with lesions occurring in scars of lupus erythematosus, 271
rubra pilaris, 463, 727
Versicolor: See Tinea versicolor
Plants: See also under names of plants, as Manzanillo Tree; etc.
phytophotodermatitis, 416
Pneumonia, development of acute exfoliative dermatitis during administration of sulfathiazole, 703
Poikiloderma of Civatte, 860
poikilodermatomyositis (lupus erythematosus disseminatus?), 734
vasculare atrophicans, 152, 417
Poison Ivy: See Rhus, poisoning
Poisons and Poisoning: See under names of substances, as Mercury; etc.
Pollen: See Ragweed
Pompholyx, syphilis and biotropic skin-exanthems of known bacterial, hematogen-endogenous origin; seborrheic dermatitis, pompholyx, pityriasis rosea, psoriasis vulgaris, 857
Popper, H. L.: Properties of human skin revealed by fluorescence microscopy; paraffinoma, *637
Poradenitis: See Lymphogranuloma Venereum
Porokeratosis: See Keratosis
Porphyrin and Porphyrin Compounds, in Urine: See under Urine
Poyo Meal: See Taro
Pratt, A. G.: "Red moss" dermatitis; contact with sponges affecting oystermen, *574
Precocious Puberty: See Adolescence
Pregnancy, syphilis in, 415
Pringle-Bourneville's Disease: See Sclerosis, tuberous
Prostitution, how long does syphilis remain infectious? 415
Prurigo, lymphosarcoma with prurigo-like cutaneous eruption, 127
mitis or multiform erythema, 292
Pruritus ani with reference to therapeutic tattooing with mercury sulfide, 414
Pseudofolliculitis, chronic scarring pseudofolliculitis of Negro beard, *782
Pseudoxanthoma elasticum, disseminated, 441
elasticum with angioid streaks, 449
Psoriasis, exfoliative, 716
in full-blooded Negro; report of case, *102
multiple benign superficial epitheliomas (probably arsenical); psoriasis; arsenical keratoses, 135
pustular; case for diagnosis, 456
treatment with lipotropic substances derived from foodstuffs, *159
vulgaris; syphilis and biotropic skin-exanthems of known bacterial, hematogen-endogenous origin; seborrheic dermatitis, pompholyx, pityriasis rosea, psoriasis vulgaris, 857
xanthoma tuberosum coincident with psoriasis, with xanthomatosis of coronary vessels, 739
Psychoses: See Neuroses and Psychoneuroses
Puberty: See Adolescence
Pupils, Argyll Robertson pupils occurring in neuromyelopathy simulating tabes dorsalis, 871
Pyemid: See Pyoderma
Pyoderma, 724
acne conglobata; pyoderma; hidradenitis, 725
benign embolic pyemid, 855
congenital dyskeratosis; ectodermal defect; pachyonychia congenita; pyoderma; corneal leukoma, 727
dermatitis vaccinica (Kaposi's variceliform eruption), *613
faciale; acne vulgaris, 148
Pyoderma—Continued
hidradenitis suppurativa of axillas; extensive pyoderma of vulva, 725
ichthyosis with secondary pyoderma, 441
Pyridoxine: See also Vitamins, B
effects of pyridoxine (vitamin B_6) on persistent adolescent acne, 257
vitamin B_6 in dermatology, *651

Quero, R.: Congenital defect of scalp, *405

Races: See Negroes; etc.
Radiations: See also Roentgen Rays; Ultraviolet Rays; etc.
Therapy: See Lips
time factor in irradiation, *490; correction, 762
Ragweed dermatitis, 714
Ramos e Silva, J.: Lipid proteinosis (Urbach-Wiethe), *301
Rattner, H.: Care for diagnosis, 449
Lupus erythematosus, 450
Pigmented purpuric lichenoid dermatitis of Gougerot and Blum, 455
Pityriasis rosea with lesions occurring in scars of lupus erythematosus, 271
Pseudoxanthoma elasticum with angioid streaks, 449
Unilateral acrodermatitis chronica atrophicans; avitaminosis, 261
Raynaud's Disease, 709
acrosclerosis, *382
and lupus erythematosus, 137
case for diagnosis, 146
early; case for diagnosis, 292
with sclerodactylia and calcinosis circumscripta, 145
with sclerodermatous changes, 606
Reagin: See under Syphilis
von Recklinghausen's Disease: See Neurofibromatosis; Osteitis fibrosa
Recruits, incidence of dermatoses in 20,000 army induction examinations, with note on syphilis with negative serologic reactions, *844
Rectum, lymphogranuloma venereum with early rectal stricture; latent tertiary syphilis, 594
"Red moss" dermatitis; contact with sponges affecting oystermen, *574
Rendu-Osler's Disease: See Telangiectasia
Resin, contact dermatitis due to resin-finished facing in cotton underwear, 697
contact dermatitis due to resin-finished facing in cotton underwear; report of case, with consideration of cause, pathogenesis and related phenomena, *242
Reticuloendothelial System: See also Spleen
histiocytoma cutis; variant of xanthoma; histologic and clinical studies of 27 lesions in 23 cases, *498
Reticuloendothelioma, malignant, 877
Retina, pseudoxanthoma elasticum with angioid streaks, 449
Retinitis, secondary syphilis; bilateral optic neuritis and retinitis, 600
Rheumatic Fever, prognosis in erythema annulare rheumaticum, 701
Rhinophyma, 868
Rhoden, A. E.: Method to enhance value of biopsies in dermatologic diagnosis, *580
Rhus, poisoning; etiology and treatment of urticaria; diagnosis, prevention and treatment of poison ivy dermatitis, 703
poisoning; oral prophylaxis for poison ivy dermatitis in children, 853
poisoning; treatment by alcoholic extracts in small group controlled by preliminary patch tests, 854
Ringelman, N. P.: Evaluation of fungicidal agent for fungous disease of feet; controlled hospital study, *569
Ringworm: See also Mycosis; Tinea; Trichophytosis; etc.
bacteriology of feet and incidence of dermatophytosis of feet of high school students, *816

Ringworm—Continued
fungous infections of feet treated with camphor-phenol mixture, *239
method for evaluation of water soluble and water miscible fungicides used in prevention of spread of "athlete's foot," 703
Riordan, T. J.: Lichen sclerosus et atrophicus, 874
Ritter's Disease: See Dermatitis exfoliativa
Robinson, S.: Granuloma annulare, 130
Rocky Mountain Spotted Fever, 702
Roentgen Rays: See also Radiations
area factor in roentgen irradiation, *657
chronic radiodermatitis with ulceration, 880
epithelioma and radiodermatitis of arm, 861
extensive roentgen ray dermatitis; epitheliomas; results of therapy, 737
individual action and summation effects of x-radiation and commonly used dermatologic preparations on skin of albino rabbit, 115
radiodermatitis; case for diagnosis, 289
shock-proof roentgen ray apparatus in dermatology, *43
squamous cell epithelioma arising in old tuberculous (?) ulcer; squamous cell epithelioma arising in old radiodermatitis, 438
Therapy: See under names of organs, regions and diseases, as Cicatrix; Epithelioma; Hemangioma; Keloids; etc.
Ronchese, F.: Dermatitis vaccinica (Kaposi's varicelliform eruption), *613
Ichthyosiform atrophy of skin in Hodgkin's disease, *778
Rosen, I.: Dermatitis due to sulfathiazole; case for diagnosis, 281
Dermatitis herpetiformis, erythema multiforme or pemphigus, 874
Lupus erythematosus associated with idiopathic infantilism in child, 277
Rostenberg, A.: Leprosy (neural type), 861
Rothman, S.: Lymphoblastoma, 462
Rule, A. M.: Mapharsen and neoarsphenamine administered by continuous intravenous drip method; toxicity for rabbits, *665
Rulison, R. H.: Knuckle pads, 732

Saffron, M. H.: Scieriasis (scleredema adultorum) as first described by Piffard, 110
Salicyl Compounds, studies on ointments; ointments containing salicylic acid, *16
Saliva, comparative immunologic studies with salivary and epithelial extracts of dog, cat and rabbit, 854
Samitz, M. H.: Vitamin B_6 (pyridoxine) in dermatology, *651
Sarcoidosis, *58, 444, 729, 873
Boeck's sarcoid, 148, 608, 741
granuloma annulare or sarcoid, 151
sarcoid, 708
sarcoid and tuberculosis, 408
Sarcoma: See also Cancer; and under names of tumors
Kaposi's, 605, 759
multiple idiopathic hemorrhagic sarcoma (Kaposi) producing urethral stricture, 293
multiple idiopathic hemorrhagic sarcoma of Kaposi, 420
of Kaposi with buccal lesion, 733
or epithelioma, 596
spindle cell sarcoma of scalp with metastasis to posterior cervical nodes, 595
Satulsky, E. M.: Dermatitis venenata caused by manzanillo tree, *36
Dermatitis venenata caused by manzanillo tree; further observations and report of 60 cases, *797
Sayer, A.: Psoriasis in full-blooded Negro; report of case, *102
Scalp, basal cell epithelioma of scalp with possible metastases to brain, 869
congenital defect of, *405, 869
Diseases: See under names of diseases, as Ringworm; Seborrhea; Tinea; etc.
epithelioma of, 446
keratosis follicularis with unusual involvement of scalp; report of case, *398
pustular folliculitis of, 128
spindle cell sarcoma of scalp with metastasis to posterior cervical nodes, 595
Scalp—Continued
symmetric nevi of face, tuberous sclerosis, epilepsy and fibromatous growth on scalp with abnormal electroencephalograms of members of family; report of case, *197
tinea amiantacea, 419
tinea versicolor involving scalp, *546
wooly-haired nevus of, 286
Scars: See Cicatrix
Schamberg's Disease, case for diagnosis, 286
Schaumann's Disease: See Sarcoidosis
Scheer, M.: Dermatitis herpetiformis in child, 275
Granuloma annulare, 276
Multiple benign cystic epithelioma or neurofibroma of skin, 875
Raynaud's disease with sclerodermatous changes, 606
Schmidt, O. E. L.: Injections of gold sodium thiosulfate plus ultraviolet irradiation; effects of concurrent intradermal or intramuscular injections of gold sodium thiosulfate and ultraviolet irradiation on experimental animals, *478
Schonberg, I.: Urticaria pigmentosa, 123
Schools, bacteriology of feet and incidence of dermatophytosis of feet of high school students, *816
Schorr, H. C.: Lichen planus involving palms, 268
Schwartz, H. J.: J. Frank Fraser, 586
Schwartz, L.: Contact dermatitis due to resin-finished facing in cotton underwear, 697
Schwartz, W. F.: Granuloma annulare, 131
Lichen planus of soles, 136
Superficial epitheliomatosis; case for diagnosis, 134
Scleredema: See Scleroderma
Sclerema: See Scleroderma
Sclerodactylia: See Scleroderma
Scleroderma, acrosclerosis, *382
acrosclerosis (Seiler), 718, 719
generalized progressive type, 125
localized, 144, 418
localized (morphea), 718
lupus erythematosus, erythema induratum and sclerodactylia, 141
panniculitis and sclerodermatous changes secondary to long-continued administration of epinephrine for asthma, 132
progressive type, 144
Raynaud's disease with sclerodactylia and calcinosis circumscripta, 145
Raynaud's disease with sclerodermatous changes, 606
sclerema neonatorum, 266
scleriasis (scleredema adultorum) as first described by Piffard, 110
Sclerosis, tuberous; adenoma sebaceum, 422
tuberous; hamartial nature of tuberous sclerosis complex and its bearing on tumor problem, 113
tuberous, symmetric nevi of face, epilepsy and fibromatous growth on scalp with abnormal electroencephalograms of members of family; report of case, *197
Scrofuloderma: See Tuberculosis
Scully, J. P.: Hereditary dystrophy of hair and nails; report of case, *486
Seasons; winter eczema; case for diagnosis, 753
Seborrhea, seborrheic streptodermatitis and late syphilis, 590
syphilis and biotropic skin-exanthems of known bacterial, hematogen-endogenous origin; seborrheic dermatitis, pompholyx, pityriasis rosea, psoriasis vulgaris, 857
Seidmann, M.: Cutaneous eruptions due to codeine, *654
Self Mutilation, neurotic excoriations, 419
Senear, F. E.: Case for diagnosis, 460
Senear-Usher Syndrome: See Pemphigus
Shaffer, B.: Cutaneous syphilis associated with lymphoblastoma, 440
Shapiro, E. Z.: Epithelioma, 707
Erythema induratum, 708
Lichen planus, 710
Lupus erythematosus with bilateral tuberculous keratitis, 709

Shapiro, E. Z.—Continued
Necrobiosis lipoidica diabeticorum without diabetes, 710
Sarcoid, 708
Sharlit, H.: Sensitization to sulfonamide compounds, 585
Shellow, H.: Case for diagnosis, 460
Shorts: See Clothing
Shumate, C. A.: Lupus erythematosus, erythema induratum and sclerodactylia, 141
Xanthoma; case for diagnosis, 143
Silver, toxicity; argyria confused with heart disease, 259
Skeer, J.: Mycosis fungoides in patient with carcinoma of colon, 860
Skeleton: See Bones
Skin: See also Dermatology
Abnormalities: See Atrophy; Ectodermal Defect; Pigmentation; etc.
area factor in roentgen irradiation, *657
Atrophy: See Atrophy
blood supply; development of cutaneous arterial "spiders" and palmar erythema in persons with liver disease and their development following administration of estrogens, 700
Cancer: See Cancer; Epithelioma; Sarcoma; etc.
combined vaccine and toxoid therapy of staphylococcic infections of skin, *640
concurrent, combined and consecutive fungous infections of skin; cultural experiences, *27
Demodex folliculorum; its incidence in routine histologic study of skin, *793
Diseases: See also Dermatitis; and under names of diseases, as Eczema; Herpes; Mycosis; etc.; and under names of plants and drugs, as Arsphenamines; Rhus; etc.
diseases; aloe vera in oriental dermatology, *250
diseases; aloe vera (jelly leeks), *249
diseases, avitaminosis in relation to, 117
diseases; bacterial filtrates (antipeol) in treatment of cutaneous infections, 413
diseases; cutaneous eruptions due to codeine, *654
diseases; disordered fat metabolism in some skin diseases; preliminary observations, 416
diseases; general x-ray baths in generalized dermatosis, 858
diseases, histamine content of blood and urine in, 118
diseases; incidence of dermatoses in 20,000 army induction examinations, with note on syphilis with negative serologic reactions, *844
diseases; individual action and summation effects of x-radiation and commonly used dermatologic preparations on skin of albino rabbit, 115
diseases; method to enhance value of biopsies in dermatologic diagnosis, *580
diseases; necrobiosis lipoidica diabeticorum, 602, 722
diseases; necrobiosis lipoidica diabeticorum without diabetes, 710, 740
diseases; sensitivity to tuberculin in acne and in other nontuberculous diseases of skin, *799
diseases; skin irritants, 856
diseases; urinary excretion of nicotinic acid in various dermatoses, 257
diseases; vitamin B_6 (pyridoxine) in dermatology, *651
epithelial cysts, *185
histopathology of rat skin in avitaminosis A, *768
Inflammation: See Dermatitis
mineral changes in neurodermatitis revealed by microincineration, *335
monocytic leukemia with lesions of skin and mucous membranes as first manifestations, 298
multiple benign cystic epithelioma or neurofibroma of skin, 875
Pigmentation: See under Pigmentation
Skin—Continued
properties of human skin revealed by fluorescence microscopy; paraffinoma, *637
synovial lesions of, 252
Syphilis: See Syphilids
time factor in irradiation, *490; correction, 762
Tuberculosis: See Tuberculids; Tuberculosis
Ulcers: See Ulcers
vitamins and disorders of, 117
Smallpox, dermatitis vaccinica (Kaposi's varicelliform eruption), *613
false positive serologic reactions for syphilis due to smallpox vaccinations (vaccinia), 702
postvaccinal meningoencephalomyelitis, 700
Sobel, N.: Erythema infectiosum; report of extensive epidemic, *467
Syphilitic juxta-articular nodes; case for diagnosis, 876
Societies, American Board of Dermatology and Syphilology, 253, 466; correction, 762
dermatologic, directory of, 883
foreign, directory of, 883
international, directory of, 883
local, directory of, 885
national, directory of, 883
sectional, directory of, 884
state, directory of, 884
Society Transactions:
Bronx Dermatological Society, 861
Brooklyn Dermatological Society, 859
Chicago Dermatological Society, 261, 448
Cleveland Dermatological Society, 119, 417, 593, 866
Los Angeles Dermatological Society, 128, 282, 445, 607, 877
Manhattan Dermatologic Society, 272
Minnesota Dermatological Society, 707
New York Academy of Medicine, Section of Dermatology and Syphilis, 601, 874
New York Dermatological Society, 730
Philadelphia Dermatological Society, 429, 589
San Francisco and Los Angeles Dermatological Societies, 140
Sodium Gold Thiosulfate: See Gold and Gold Compounds
Thiosulfate: See Dermatitis
Spiegel, L.: Granuloma annulare or erythema annulare perstans, 865
Mycosis fungoides; case for diagnosis, 864
Spirochaeta Pallida: See also Syphilis
problem of treatment-resistant syphilis; further studies on treatment-resistant strain of Spirochaeta pallida, 855
Spleen, specificity of periarterial fibrosis of spleen in disseminated lupus erythematosus, 853
Sponges, "red moss" dermatitis; contact with sponges affecting oystermen, *574
Sporotrichosis, 742
Staphylococci, benign embolic pyemid, 855
combined vaccine and toxoid therapy of staphylococcic infections of skin, *640
Stevens-Johnson Disease: See Erythema multiforme
Stewart, R. A.: Poikiloderma vasculare atrophicans; case for diagnosis, 152
Stibbens, F. H.: Ulcers on legs; case for diagnosis, 150
Stillians, A. W.: Rosacea-like tuberculid, 459
Small papular tuberculid, 459
Stokes, J. H.: Pemphigus foliaceus, 436
Stomatitis, aphtha or Vincent's disease, 859
bismuth stomatitis, 416
recurrent scarring painful aphthae; amelioration with sulfathiazole in 2 cases, 702
Strakosch, E. A.: Studies on ointments; ointments containing salicylic acid, *16
Studies on ointments; ointment containing sulfur, *216
Strauss, A.: Lupus erythematosus (combined with lupus vulgaris?), 432
Streptococci, seborrheic streptodermatitis and late syphilis, 590

Stroud, G. M., III: Argyll Robertson pupils occurring in neuromyelopathy simulating tabes dorsalis, 871
Case for diagnosis, 428
Congenital defect of scalp, 869
Discoid lupus erythematosus; case for diagnosis, 124
Epithelioma or sarcoma, 596
Opaque cornea due to interstitial keratitis treated by keratoplasty, 871
Progressive pigmentary dermatosis, 125
Sarcoidosis, 873
Sulfathiazole eruption, 870
Syringocystadenoma, 124
Sudoriparous Glands: See under Sweat Glands
Sulfanilamide and Sulfanilamide Derivatives, dermatitis due to sulfathiazole; case for diagnosis, 281
development of acute exfoliative dermatitis during administration of sulfathiazole, 703
leukemoid reaction to sulfadiazine, 856
reaction due to sulfapyridine in treatment of dermatitis herpetiformis, *695
sensitization to sulfonamide compounds, 585
sulfathiazole eruption, 870
Therapy: See Acne rosacea; Blastomycosis; Dermatitis exfoliativa; Lupus erythematosus; Pneumonia; Stomatitis; etc.
Sulfathiazole: See Dermatitis exfoliativa; Stomatitis; Sulfanilamide and Sulfanilamide Derivatives
Sulfur, studies on ointments; ointments containing sulfur, *216
Sunlight: See Light
Suprarenal Preparations: See Adrenal Preparations
Sutton's Disease: See Vitiligo
Swartz, J. H.: Dermatitis herpetiformis; immunologic and therapeutic considerations, *680
Sweat Glands, acne conglobata; pyoderma; hidradenitis, 725
ectodermal dysplasia of anhidrotic type, 853
hidradenitis suppurativa of axillas; extensive pyoderma of vulva, 725
symmetric lividity of soles, *822
syringocystadenoma, 124
syringocystoma, 282
Swift-Selter-Feer's Disease: See Acrodynia
Synovial Fluid, synovial lesions of skin, 252
Syphilids, annular papular syphiloderm, 593
generalized late syphilid, 442
Syphilis: See also Neurosyphilis; Spirochaeta Pallida; Syphilids; Venereal Diseases; and under names of organs, regions and diseases, as Aorta; etc.
and biotropic skin-exanthems of known bacterial, hematogen-endogenous origin; seborrheic dermatitis, pompholyx, pityriasis rosea, psoriasis vulgaris, 857
and cancer; reported syphilis prevalence among 7,761 cancer patients, 414
bismarsen (bismuth arsphenamine sulfonate) for treatment; review of 14 years' experience, 412
bismuth eruptions in antisyphilitic therapy, 416
bismuth hepatitis; survey of 121 cases, 413
choice and use of bismuth compounds in treatment, 415
confusing multiplicity of serologic tests; standardization of serologic report as possible solution, 702
congenital; atrophy of optic nerve, 430
congenital; roentgenographic diagnosis in unerupted permanent teeth, 702
cutaneous, associated with lymphoblastoma, 440
early, destructive osseous lesions in, 113
early, rapid treatment; report of 280 treatment courses with mapharsen alone and 549 treatment courses with mapharsen combined with fever, *553; correction, 762
false positive serologic reactions due to smallpox vaccinations (vaccinia), 702
Hereditary: See Syphilis, congenital
Syphilis—Continued
Herxheimer reaction in secondary syphilis 4 days after massive therapy (5-day treatment), 592
how long does syphilis remain infectious? 415
in pregnancy, 415
incidence in male gonorrheal clinic, 415
incidence of dermatoses in 20,000 army induction examinations, with note on syphilis with negative serologic reactions, *844
interstitial keratitis of right eye developing after full quota of treatment and 4 years after involvement of left eye, 442
latent; granuloma inguinale, 127
latent; lupus vulgaris; squamous cell epithelioma, 424
lymphogranuloma venereum with early rectal stricture; latent tertiary syphilis, 594
osseous syphilis; confusion in diagnosis; report of 2 cases of osteomyelitis of late syphilis, 254
palmar lesions (syphilis corné?), 137
phenarsine hydrochloride in treatment; preliminary report, *235
problem of treatment-resistant syphilis; further studies on treatment-resistant strain of Spirochaeta pallida, 855
seborrheic streptodermatitis and late syphilis, 590
secondary; bilateral optic neuritis and retinitis, 600
simulating lupus erythematosus; case for diagnosis, 879
symmetric tertiary eruption of, 603
syphilitic juxta-articular nodes; case for diagnosis, 876
tertiary, 880
transmissibility of; role of syphilitic woman as passive carrier, 855
treatment of syphilitic primary optic atrophy, 254
treatment with phenarsine hydrochloride; preliminary report, *226
ulceronodular, with factitious dermatitis, 262
use of bismuth compounds in syphilotherapy; results of treatment of latent syphilis by bismuth compounds combined in part with arsenicals, 412
Syphiloderm: See Syphilids
Syringocystadenoma, 124
Syringocystoma, 282

Tabes Dorsalis: See also Neurosyphilis
Argyll Robertson pupils occurring in neuromyelopathy simulating tabes dorsalis, 871
juvenile tabes with atrophy of optic nerve, 430
vitamin B and E therapy, 116
Takata Reaction: See Lymphogranuloma Venereum
Taro, vegetable milk substitute: taro (poyo meal), 256
Tattooing, lupus erythematosus in red part of tattooed area, 610
pruritus ani with reference to therapeutic tattooing with mercury sulfide, 414
Tavs, L. E.: Tuberculosis cutis or chronic pyogenic dermatitis, 432
Tchou, M. T.: Aloe vera (jelly leeks), *249
Teeth, roentgenographic diagnosis of congenital syphilis in unerupted permanent teeth, 702
Telangiectasia, multiple hereditary hemorrhagic telangiectasia, 705
naevus araneus type, with cirrhosis of liver, 455
vascular tumor; case for diagnosis, 154
Templeton, H. J.: Raynaud's disease; case for diagnosis, 146
Tendons, xanthoma tuberosum and tendon xanthoma, 282
Testosterone: See Androgens
Tetryl: See Nitroaniline
Theelin: See Estrogens
Thiamine Hydrochloride in treatment of tryparsamide amblyopia, 114
obligate wheal producing agent, 257

Thomas, C. C.: Photosensitization pigmentation or melanosis of Riehl, 438
Sarcoidosis, *58
Squamous cell epithelioma arising in old tuberculous (?) ulcer; squamous cell epithelioma arising in old radiodermatitis, 438
Thomas, E. W.: Rapid treatment of early syphilis; report of 280 treatment courses with mapharsen alone and 549 treatment courses with mapharsen combined with fever, *553; correction, 762
Thomas, J. W.: Bronchial asthma following inhalation of powdered neoarsphenamine; attempted oral hyposensitization, *675
Throat, pemphigus vulgaris (chronic benign type) of mouth, throat and vaginal orifice, 273
pemphigus vulgaris (chronic benign type) of nose, lip, mouth and throat, 272
Thyroid, commercial endocrine preparations, 411
Tiant, F. R.: Histamine test with reference to diagnosis of leprosy, *826
Ticks: See Rocky Mountain Spotted Fever
Tilden, I. L.: Histiocytoma cutis; variant of xanthoma; histologic and clinical studies of 27 lesions in 23 cases, *498
Time factor in irradiation, *490; correction, 762
Tinea: See also Ringworm
amiantacea, 419
capitis with trichophytid, 139
versicolor; case for diagnosis, 135
versicolor involving scalp, *546
versicolor; pityriasis versicolor on face of infant, *251
versicolor; pityriasis versicolor (with unusually extensive involvement), 740
Tissue, epitheliomatosis and devitalized scar tissue; case for diagnosis, 268
sections; mineral changes in neurodermatitis revealed by microincineration, *335
Toe Nails: See Nails
Toes: See Fingers and Toes
Tongue, discoid lupus erythematosus of, 133
hairy, 429
Tonsillectomy, lupus erythematosus clearing after tonsillectomy and sulfanilamide treatment, 865
Torrey, F. A.: Localized scleroderma, 144
Xanthomatosis, 142
Toxicodermas: See Dermatitis, venenata; Drugs, eruptions
Toxoid Therapy: See Staphylococci
Traub, E. F.: Poikilodermatomyositis (lupus erythematosus disseminatus?), 734
Xanthoma tuberosum multiplex, 603
Trauma, herpes zoster (of traumatic origin), 431
Trees, dermatitis venenata caused by manzanillo tree, *36
dermatitis venenata caused by manzanillo tree; further observations and report of 60 cases, *797
Treponema Pallidum: See Spirochaeta Pallida
Trichinosis, active sensitization in human beings with trichina antigen, 256
Trichophytid: See Trichophytosis
Trichophytosis: See also Mycosis
concurrent, combined and consecutive fungous infections of skin; cultural experiences, *27
tinea capitis with trichophytid, 139
Trichophyton purpureum infection of nails, 129
Trinitrophenylmethylnitramine: See Nitroaniline
Tropical Medicine: See under names of tropical diseases
dermatitis venenata caused by manzanillo tree, *36
dermatitis venenata caused by manzanillo tree; further observations and report of 60 cases, *797
infection with Loa loa, *763
Trow, E. J.: David King Smith, 108
Tryparsamide, prevention of nitritoid reactions following tryparsamide therapy, 415
thiamine hydrochloride in treatment of tryparsamide amblyopia, 114
Tryptophan, cataract and other ocular changes resulting from tryptophan deficiency, 257
Tubercle Bacilli: See Tuberculosis
Tuberculids: See also under Tuberculosis
rosacea-like, 459
small papular, 459
superficial papulonecrotic, in Negro, *627
Tuberculin: See also under Tuberculosis
Patch Test: See Tuberculosis
sensitivity to tuberculin in acne and in other nontuberculous diseases of skin, *799
Tuberculosis: See also Tuberculids; and under names of diseases, organs and regions, as Keratitis; etc.
and sarcoid, 408
anergic proliferative tuberculosis of skin, 872
comparison of tuberculin patch test with Mantoux test, 856
cutis of nose, 279
cutis or chronic pyogenic dermatitis, 432
lupus erythematosus and chrysiasis, 140
of hypoderm, 761
pulmonary, with lupus vulgaris, 453
scrofuloderma; case for diagnosis, 295
sensitivity to tuberculin in acne and in other nontuberculous diseases of skin, *799
squamous cell epithelioma arising in old tuberculous (?) ulcer; squamous cell epithelioma arising in old radiodermatitis, 438
verrucosa cutis or verruca vulgaris, 417
Tulipan, L.: Parapsoriasis en plaques; case for diagnosis, 607
Tumors: See Adenoma; Cancer; Epithelioma; Fibroma; Hemangioma; Lymphangioma; Lymphoblastoma; Melanoma; Neurofibroma; Sarcoma; etc.; and under names of organs and regions, as Scalp; etc.

Ulcers: See also under names of organs and regions
aloe vera (jelly leeks), *249
chlorophyll in treatment, *849
chronic radiodermatitis with ulceration, 880
on legs; case for diagnosis, 150
squamous cell epithelioma arising in old tuberculous (?) ulcer; squamous cell epithelioma arising in old radiodermatitis, 438
trophic, resembling condylomas, 266
Ultrashort Waves: See under names of organs, regions and diseases
Ultraviolet Rays: See also Light
injections of gold sodium thiosulfate plus ultraviolet irradiation; effects of concurrent intradermal or intramuscular injections of gold sodium thiosulfate and ultraviolet irradiation on experimental animals, *478
Therapy: See under names of organs, regions and diseases
Umansky, M.: Circumscribed myxedema, 863
Underwear: See Clothing
Urbach-Wiethe Disease: See Lipoids
Urethra, multiple idiopathic hemorrhagic sarcoma (Kaposi) producing urethral stricture, 293
Urine, excretion of nicotinic acid in various dermatoses, 257
histamine content of blood and urine in cutaneous diseases, 118
porphyrin; determination of urinary coproporphyrin I using commercial hematoporphyrin as standard, 257
Urticaria, acanthosis nigricans (associated with urticaria), *97
due to aliphatic aldehydes; clinical and experimental study, 701
etiology and treatment; diagnosis, prevention and treatment of poison ivy dermatitis, 703
pigmentosa, 123, 452
pigmentosa (nodular lesions), 757
thiamine hydrochloride; obligate wheal producing agent, 257
Usher-Senear Syndrome: See Pemphigus

Vaccine Therapy: See Staphylococci
Vaccinia: See Smallpox
Vagina, pemphigus vulgaris (chronic benign type) of mouth, throat and vaginal orifice, 273
Van Dyck, L. S.: Larva migrans, 607
Varicella: See Chickenpox
Variola: See Smallpox
Venereal Diseases: See also Gonorrhea; Neurosyphilis; Syphilis; etc.
during war, 699
epidemiologic methods used in control in New York City, 414
role of pharmacist in controlling, 109
Vero, F.: Melanoma; case for diagnosis, 604
Verruca vulgaris or tuberculosis verrucosa cutis, 417
with lichen planus; case for diagnosis, 139
Vesication, dyskeratoid bullous dermatosis, 746
histochemistry of pemphigus lesions with reference to bullous formation, *517
unusual variant of epidermolysis bullosa; recurrent bullous eruption of feet, *327
Viruses: See under Herpes; Lymphogranuloma Venereum; etc.
Vitamins: See also Nicotinic Acid; Pyridoxine; Riboflavin; Thiamine Hydrochloride
A: See also Carotene
A; histopathology of rat skin in avitaminosis A, *768
A; keratosis follicularis (Darier) after treatment with vitamin A, 293
A; keratosis follicularis (Darier) treated with vitamin A, 288
A; keratosis follicularis with unusual involvement of scalp; report of case, *398
A; xerosis of skin treated with concentrated vitamin A, 284
and disorders of skin, 117
avitaminosis in relation to diseases of skin, 117
B: See also Nicotinic Acid; Pyridoxine; Riboflavin; Thiamine Hydrochloride
B and E therapy in tabes dorsalis, 116
B; effect of estrogen on utilization of vitamin B complex, 113
B; eruption due to vitamin B complex deficiency and precipitated by prolonged bismuth therapy, 862
B; relation of B vitamins and dietary fat to lipotropic action of choline, 257
B; studies of B vitamins in human subject (response of cheilosis to vitamin therapy), 112
B_1: See Thiamine Hydrochloride
B_2: See Riboflavin
B_6: See Pyridoxine
E; vitamin B and E therapy in tabes dorsalis, 116
effect of large amounts of single vitamins of B group on rats deficient in other vitamins, 700
multiple vitamin deficiency; eruption due to petrolatum? 752
unilateral acrodermatitis chronica atrophicans; avitaminosis, 261
Vitiligo, case for diagnosis, 290
of eyelids and canities of cilia in child, 274
Vollmer Patch Test: See Tuberculosis
Vulva, Esthiomene: See Lymphogranuloma Venereum
hidradenitis suppurativa of axillas; extensive pyoderma of vulva, 725
use of diethylstilbestrol in treatment of kraurosis vulvae; preliminary report, *671

Waisman, M.: Acrosclerosis, *382
Wallace, G. I.: Bacteriology of feet and incidence of dermatophytosis of feet of high school students, *816
Walsh, E. N.: Idiopathic atrophy; case for diagnosis, 454
Naevus araneus type of telangiectases with cirrhosis of liver, 455
Walzer, A.: Aphtha or Vincent's disease, 859
War: See also Medicine, Military; etc.
venereal diseases during, 699
Warts: See Verruca
Wassermann Reaction: See Syphilis
Way, S. C.: Xanthoma tuberosum multiplex, 142
Weber, L. F.: Dermatitis repens; case for diagnosis, 261
Weber-Rendu-Osler's Disease: See Telangiectasia
Webster, J. R.: Epitheliomatosis and devitalized scar tissue; case for diagnosis, 268
Welton, D. G.: Keratosis follicularis with unusual involvement of scalp; report of case, *398
Werner Syndrome: See Scleroderma
Wexler, G.: Rapid treatment of early syphilis; report of 280 treatment courses with mapharsen alone and 549 treatment courses with mapharsen combined with fever, *553; correction, 762
Wheal: See Urticaria
White, C.: Obliterative endarteritis with onychomycosis (Monilia albicans), 271
White Spot Disease: See Scleroderma
Wiethe-Urbach's Disease: See Lipoids
Wilhelm, L. F. X.: Radiodermatitis; case for diagnosis, 289
Wirts, C. A.: Dermatitis venenata caused by manzanillo tree; further observations and report of 60 cases, *797
Wise, F.: Dyskeratoid bullous dermatosis, 746
Eczematoid dermatitis, 745, 761
Necrobiosis lipoidica diabeticorum without diabetes, 740
Sarcoid of Boeck, 741
Sarcoma of Kaposi, 759
Sarcoma of Kaposi with buccal lesion, 733
Sporotrichosis, 742
Urticaria pigmentosa (nodular lesions), 757
Winter eczema; case for diagnosis, 753
Xanthoma tuberosum and tendon xanthoma, 282
Xanthoma tuberosum coincident with psoriasis, with xanthomatosis of coronary vessels, 739
Wolf, J.: Basal cell epithelioma with spindle cell changes following irradiation, 278
Lymphangioma, 277
Wolff, M. J.: Blastomycosis, 287
Pustular folliculitis of scalp, 128
Syringocystoma, 282
Workmen's Compensation and Insurance: See Industrial Diseases
Wright, C. S.: Congenital ectodermal dysplasia; pachyonychia congenita? 435
Pachyonychia congenita, 435
Vitamin B_6 (pyridoxine) in dermatology, *651
Wrist, herpes recurrens of, 744

Xanthoma, case for diagnosis, 143
disseminatum, 263
histiocytoma cutis; variant of xanthoma; histologic and clinical studies of 27 lesions in 23 cases, *498
juvenile xanthomatosis or nevoxanthoendothelioma, 289
tuberosum and tendon xanthoma, 282
tuberosum coincident with psoriasis, with xanthomatosis of coronary vessels, 739
tuberosum multiplex, 142, 423, 603
xanthomatosis, 142
Xerosis of skin treated with concentrated vitamin A, 284

Zaidens, S. H.: Use of diethylstilbestrol in treatment of kraurosis vulvae; preliminary report, *671
Zakon, S. J.: Favus, 272
Zona: See Herpes zoster
Zoster: See Herpes zoster
Zugerman, I.: Lupus erythematosus (combined with lupus vulgaris?) 432
Pemphigus vulgaris, 593